



Everything for Caravan I Camping I Leisure

Dear campers,

We are pleased to present our wide range of tents to you! In the early days of camping, we were accompanied by simple tents and unspoilt nature. But over the course of time, camping as a form of holiday has evolved. Today, we would like to introduce you to a range of tents that will make your camping trips even more comfortable.

Awnings have become almost indispensable and transform your vehicle into a cosy retreat in no time at all. Whether you prefer a classic caravan awning or are interested in partial and storage tents, roof tents, sun canopies or accessories – we have the right awning for every taste and need.

Take a look at our extensive range on the following pages and let yourself be inspired.

Regardless of your choice of model, we would like to wish you lots of fun and relaxation on your camping holiday! Enjoy nature and let yourself be accompanied by our high-quality tent accessories.

Your Frankana Freiko Team



Do you already know our accessories catalogue?

Pick it up directly from your local retailer.













Topics

Why do we produce our own awnings?

Frankana Freiko has been offering its own awnings for years. Our plan was to work hand in hand with renowned tent manufacturers to produce awnings that offer you, our customer, added value. We have achieved both with our Frankana Freiko awning collection.

Feedback from our specialist trade partners and from you, dear customer, helps us to be first-class down to the last detail.

The result are awnings that impress with both quality and functionality – at an excellent price-performance ratio. Be it the choice of tent fabric, the material of the poles or the design – we always find a good way.

One example: our sun canopy Stella. You can find it on pages 4 and 5, with a gable for an even nicer appearance and a significantly larger shaded area. Coloured side sections are optionally available to allow for individuality. The side sections, which are equipped with window film and mosquito nets, ensure optimum ventilation.

Convince yourself of the advantages of the Frankana Freiko awning collection when it comes to quality and price.

Find the right awning for your motorhome, your caravan or your van.

Awnings	02 – 03
Travel Awnings	04 – 23
Seasonal Awnings	24 – 27
All-Season Awnings	28 – 37
Partial Tents	38 – 50
Partial Tents Van & Motorhome	51 – 72
Roof Tents	73 – 77
Sun Canopies	78 – 86
Storage Tents & Pavilions	87 - 89
Accessories	90 - 104

Information

An awning that is pulled in over the entire length of the caravan is suitable for travelling, seasonal or permanent camping and significantly increases the living space. The piping (attached to the tent) is pulled into the existing piping rail on the caravan and the awning is thus connected to the caravan. Due to the time-consuming setup, it is recommended for longer stays. For all spontaneous campers who only want to spend a few days on a campsite, so-called travel awnings are particularly suitable.

Travel awnings

The classic travel awning is suitable for short holiday trips and not for long-term use. Travel awnings are light and easy to set up. They also have a small pack size and low weight.

UV radiation and extreme weather conditions place ever greater strains on materials and equipment. Good sun protection is therefore the be-all and end-all of a good awning.

Covered zips are more leakproof and last longer. Welded roof seams ensure that the roof is also reliably leakproof. Both quality features are definitely worth the effort.

Seasonal and all-season awnings

Seasonal and all-season awnings are probably the most elaborate types of awnings. PVC-coated material is used on both sides.

The material must be tear- and abrasion-resistant to meet the requirements.

Condensation occurs both with material coated on one side and on both sides. However, if an awning is only coated on one side, moisture is absorbed into the fabric.

The formation of condensation depends on the temperature differences between the inside and

Awnings Individually expand your living space!

the outside of the tent, the ventilation, the ground sealing and the weather conditions. However, only double-sided coatings are suitable for permanent use.

Tents for seasonal or year-round use are usually equipped with additional features, such as double draught skirts and window flaps. Due to the use of robust materials, these awnings weigh more and have a larger pack size.







Interesting facts

How is the awning attached?

There is usually a piping rail on the vehicle. This is an aluminium or plastic profile that holds the piping on the awning. Piping rails can also be retrofitted and look like a "C" in cross-section. The bead or the piping is inserted into the piping rail.

There is also a piping rail on the awning side at the bottom of the vehicle. The windbreak or mud flap is inserted horizontally here. This means that this side of the awning can also be made windproof.

Pulling the awning into the piping rail

First check your rail for sharp edges! To ensure that the piping slides better into the rail, we recommend spraying it with the draw-in spray Zip-Fit (450/305).

Of course, the awning should be secured with the tensioning material and pegs that are often supplied. A storm strap set also gives the awning more stability in the next storm. In most cases, the awnings are already fitted with the appropriate devices so that the corresponding storm strap set can be easily attached.

Distance to the ground – draught skirt






The distance from the lower edge of the fabric to the ground can vary from caravan to caravan and depending on the ground conditions. The draught skirt should be at least high enough to allow the elasticated guy ropes to be tensioned. The rest of the draught skirt lies on the ground. The ground-sheet and carpet can then be laid on top.



Choosing the right awning size



Measure the overall dimensions of your caravan on a level surface when the vehicle is stationary by running a cord (A) through the piping rail back to the ground (B).

Based on the measured circumference, you will then find the right size for your caravan, motorhome or van.

More space thanks to sleeping cabins!



Create a sleeping area in your freestanding awning quickly and easily with the optionally available inner tent. It can be easily attached using hooks and offers space for up to two people. Ideal for guests, children who want more privacy or anyone who prefers to sleep outside.

The right poles!





Pole types: air tube, steel, aluminium, fibreglass.

For the roof poles, awning eyelets are required, some of which still need to be attached to the vehicle wall. Some awnings are equipped with a second piping for attaching these eyelets. This eliminates the need to fit them to the vehicle.

What is the veranda effect?



A veranda effect is achieved in the awning when the windows and doors of the front wall can be folded down completely. It provides fresh air and warm sunlight in the awning. Veranda poles are usually available as accessories.

from 485.00

Stella



Tent depth: 240 cm

Flexibly expandable!

* Kollektion *

Advantages
Individually extendable
Side walls in 2 colours
Windbreak and sun protection



Please order the side walls, the front wall

Turn your sun canopy into a nice awning.





without poles

100 % PES polyester, with PU coating

Stella







Stella

The appealing sun canopy protects against the oppressive heat at lunchtime and creates a comfortable place in the shade where you can read, eat, or just relax. Just order the side walls in your favourite colour to create a nice windbreak with large transparent film windows (incl. gauze).

Roof: with sewn-in gable; with zips to attach the front and side walls. SHS piping to attach the no-screw Vario Clip elements.

Material: roof exterior made of PVC-coated polyester fabric; front and side walls made of trailtex fabric, PU-coated on one side; windows made of a high-quality film with high UV stability.

Tensioning: possible from the inside with flexible tensioning straps; external mud flap

with eyelets. Attachment of the optional storm strap over the pole spike.

Please order side walls, front wall and poles separately!

When using basic poles, we recommend two additional aluminium roof poles from size 11 and two additional storm poles from size 13 (Ø 25 mm aluminium).

Scope of delivery: tensioning material, sun canopy

A-Measurement	Weight		Price
821 – 850 cm	8.25 kg	075/200	485.00
851 – 880 cm	8.5 kg	075/201	499.00
881 – 910 cm	8.75 kg	075/202	515.00
911 – 940 cm	9 kg	075/203	527.50
941 – 970 cm	9.25 kg	075/204	539.00
971 – 1000 cm	9.5 kg	075/205	552.50
1001 – 1030 cm	9.75 kg	075/206	569.00
1031 – 1060 cm	10 kg	075/207	579.00
	821 – 850 cm 851 – 880 cm 881 – 910 cm 911 – 940 cm 941 – 970 cm 971 – 1000 cm 1001 – 1030 cm	821 – 850 cm 8.25 kg 851 – 880 cm 8.5 kg 881 – 910 cm 8.75 kg 911 – 940 cm 9 kg 941 – 970 cm 9.25 kg 971 – 1000 cm 9.5 kg 1001 – 1030 cm 9.75 kg	821 – 850 cm 8.25 kg 075/200 851 – 880 cm 8.5 kg 075/201 881 – 910 cm 8.75 kg 075/202 911 – 940 cm 9 kg 075/203 941 – 970 cm 9.25 kg 075/204 971 – 1000 cm 9.5 kg 075/205 1001 – 1030 cm 9.75 kg 075/206



Universal Poles

Awning frame in 25 mm steel or 28 mm aluminium. For Stella and Bermuda.

Material: steel; Dim. (ø): 25 mm;

Pack size: 117 x 22.5 x 18 cm; Weight: 14.94 kg

610/360 189.00

Material: aluminium; Dim. (ø): 28 mm; Pack size: 117 x 22 x 18 cm; Weight: 7.72 kg 610/365 265.00

Curtain Set Stella

Curtain set for front and side walls.
Eight curtains incl. fastening material.
Dim. (W x H): 1.36 x 1.45 m

075/224 155.00







Side Wall Stella

Two side walls for retrofitting the sun canopy Stella with large transparent film windows. Connection via zip.

light green, blue 075/222 237.50 orange, grey 075/223 237.50

Front Wall Stella

This front wall consists of two parts and is attached to the roof and side walls via zip. This expansion is advisable only with basic poles. Curtains not included.

Weight		Price
5.25 kg	075/211	325.00
5.5 kg	075/212	339.00
5.75 kg	075/213	349.00
6 kg	075/214	359.00
6.25 kg	075/215	369.00
6.5 kg	075/216	379.00
6.75 kg	075/217	395.00
7 kg	075/218	405.00







blackout for more privacy

Accessories

Create an additional sleeping space for two people in your awning



This 2-person inner tent can be used anywhere

nal sleeping space, in a travel tent or even in a

van awning. It is freestanding and fits in almost

anywhere. The groundsheet is made of sturdy PE

breathable nylon. The large opening allows easy

as a sleeping cabin: in the awning as an additio-

Palermo Air

A Euro Trail

The inflatable caravan tent Palermo Air was specially developed for caravans with a lifting roof (e.g. Hymer Eriba Touring models except for model Puk) and a connection height of 180 – 220 cm. Thanks to the air tube system, it is quick and easy to set up. The living space offers plenty of room for a table and chairs and other camping equipment. The supplied stabilising tubes are inserted against the ceiling for a taut roof and additional wind stability. Two closable mesh ventilation windows under the canopy provide permanent ventilation. The canopy itself provides shade and protects you from rain when entering the tent. The tent has an additional entrance door on both sides with large windows with covers and is also equipped with GRP stabilisation tubes and support poles.

Front wall: with large windows with covers. Can be opened from the right and left side and thus used as an entrance door. Can be completely removed with a zip. The additional mesh door provides ventilation and protects against insects.

Roof material: 210D Ripstop Oxford polyester > 5000 mm

Wall material: 210D Ripstop polyester

> 3000 mm

Poles: Airtube

Material: 100 % PE polyethylene

Scope of delivery: ø 11 mm GRP poles, tensioning material, Airtube, air pump, windbreak, tent

5000 mm

Poles: ø 7.9 mm fibreglass

access. Bag included.

Inner Tent

Dim. (WxHxD): 210x145x145 cm Pack size: 63 x 25 x 21 cm; Weight: 1.95 kg

material. The walls and roof are made of

075/540

A Euro Trail

Dim. (WxHxD): 380x230x270 cm

Pack size: 83.5 x 45 x 37.5 cm; Weight: 21 kg

072/390 1,149.00

Frankana Freika®

59.95

Please order the poles separately!

For everyone who is looking for high quality and a good price.

from 999.00

Barcelona

Tent depth: 240 cm



Advantages

Perfect price-performance ratio Ideal for aerodynamic vehicles Optionally extendable





Lapped zips last longer as they are protected against UV radiation and weather conditions.



Poles Barcelona

steel ø 25 mm aluminium ø 28 mm

610/058-1 229.00 610/059-1 295.00



without poles



Suitable for vehicles with an aerodynamic design (KNAUS, Bürstner, Eifelland, etc.).

Barcelona



The perfect awning for all price-conscious campers is equipped with all-round storm tensioning options. Can be tensioned on the inside with flexible tensioning ladders. Thanks to the included double piping, you do not need screws to attach the awning to your caravan.

Front wall: consisting of 2 pieces, detachable, even from the roof (veranda effect). Entrance door size 4 with two windows and sizes 5 - 9 with three windows in the front wall

Side walls: equipped with gauze/ventilation windows and can be closed via foil window flaps. The side wall door can be rolled up to the side. Using double piping, you can add an extension to the right side. The side wall can remain as a partition wall.

Roof: made of trevira fabric, PVC-coated on both sides. Welded roof seams.

Material: completely made of high-quality PVC coated on both sides, weatherproof and rinseable

Poles (not included): Need to be ordered separately. From size 5 on, we recommend two storm poles and two roof supporting poles.

Scope of delivery: tensioning material, mud flap, curtains, wheel case cover, transport bag,

With a separate round arch entrance and ventilation window. Only for awning Barcelona. Poles: ø 22 mm steel

Dim. (WxHxD): 120x190x240 cm

Side Extension Barcelona

070/649 679.00 Weight: 23 kg



Storm Strap Set Herzog

This extremely robust storm strap protects your tent in strong winds. It is clipped onto the sides of the front wall without putting any strain on the side canopy poles. The use of an additional spring significantly reduces the tensile load on the strap and tent.

Consists of: 3 straps approx. 40 mm wide, with clip; 3 galvanised special pegs approx. 38 cm long; 3 spiral springs approx. ø 18 mm; tension loop with buckle.

Suitable for: Barcelona 070/925 84.00

Size	A-Measurement	Weight		Price
04	791 – 830 cm	28.3 kg	070/080	999.00
05	831 – 870 cm	29.2 kg	070/081	1,099.00
06	871 – 910 cm	31.5 kg	070/082	1,159.00
07	911 – 950 cm	32.8 kg	070/083	1,199.00
08	951 – 990 cm	34.5 kg	070/084	1,289.00
09	991 – 1030 cm	36.4 kg	070/085	1,319.00

Frankana Freika











95 % PES polyester, 5 % cotton







Accessories



Meira

The 5-piece design travel awning with great equipment offers space for the whole family. The windows are equipped with curtains with roller suspension. The awning is equipped with a special piping to accommodate the screwless retaining brackets (brackets not included). Four storm strap clips, the draught skirt (can be tensioned inside or outside) and the Vario corner on the front slope of the caravan round off the awning. A piping for attaching an extension on the right-hand side and the permanent top ventilation with zip make the awning a functional companion. Hemstitches in the canopy to accommodate the canopy poles.

Front wall: two pieces, interchangeable, can be folded down to form a veranda. Windows with curtains

Side walls: interchangeable, can be folded down to form a veranda. With large window with mosquito gauze and cover. With door that can be rolled away to the side.

Material: roof made of Tencate WM19 (printed inside), front wall and side walls made of

Tencate WR18 (breathable), 95 % polyester, raised mud flap made of PVC.

Poles: Ø 28 mm aluminium poles (5 roof poles, 3 legs, canopy poles)

Scope of delivery: ø 28 mm aluminium poles, tensioning material, mud flap, curtains, transport bag, tent

Size	A-Measurement	Weight		Price
05	841 – 875 cm	32 kg	075/643	1,499.00
06	876 – 910 cm	33 kg	075/644	1,549.00
07	911 – 945 cm	34.1 kg	075/645	1,579.00
08	946 – 980 cm	35.3 kg	075/646	1,609.00
09	981 – 1015 cm	36.3 kg	075/647	1,639.00
10	1016 – 1050 cm	37.4 kg	075/648	1,669.00
11	1051 – 1085 cm	38.5 kg	075/670	1,699.00
12	1086 – 1120 cm	39.7 kg	075/671	1,739.00

Extension Meira

The extension for the travel awning Meira is connected to the awning by means of a double piping profile. With blackout front window and a lateral entrance that can be rolled up. Poles: 25 mm steel, incl. central roof strut and loop legs. Material: PVC polyvinyl chloride; Dim. (WxHxD): 140x200x215 cm; Pack size: 120x40x40 cm; Weight: 24 kg 075/814 549.00

GRP Poles Meira

You have the option of purchasing GRP poles (ø 26 mm; roof: ø 30.5 mm) instead of the 28 mm aluminium poles for an extra charge.
Weight: 12 kg 075/672 269.95

Weight: 12 kg 075/672 269.95 Storm Strap Set 070/927 44.95

Mosquito Net Door

Mosquito net door for the awning entrance.
Can be rolled up. Attached between two vertical poles using a veranda pole and clamps.
Dim. (LxW): 215 x 100 cm; Pack size: 118 x 31 x 22 cm; Weight: 2 kg 075/449 179.95

Frankana Freiko





Airtube

100 % PES polyester, double-sided PU coating

Ceres







The elegant design and the modern, rounded shape leave nothing to be desired. With a depth of 260 cm, the inflatable awning Ceres is very spacious. It is pulled completely into the piping rail of your caravan. This means that all windows, doors and service hatches can be opened easily and that the awning is sealed. The high-quality HydroTech® Ripstop material, the permanent ventilation and the tinted windows ensure a pleasant temperature inside the awning even on hot summer days. Thanks to the large panorama windows, you always have a great view and optimal lighting conditions. The headroom of approx. 185 cm at the front wall ensures that the space inside the awning can be optimally used and thanks to the AAS system, the inflatable awning is quick and easy to set up. The new model is additionally equipped with a connection for the sun canopy Canopy Shady Pro and is available in additional sizes.

Front walls: removable, with tinted window film. Can be used as needed.

Side walls: with mosquito nets. Can be used as needed.

Material: HydroTech® Ripstop 100 % polyester

Poles: Advanced Air System® (AAS)

Scope of delivery: 2 transport bags, tensioning material, Airtube, air pump, mud flap & wheel cover. tent

5000 mm

Extension Eris

		Price
Extension Eris	075/622	629.95
Veranda Pole	075/606	24.95

Travel Awning Ceres

Size	A-Measurement	Weight			Price
07	911 – 945 cm	34.3 kg		075/736	1,499.00
08	946 – 980 cm	34.8 kg		075/737	1,599.00
09	981 – 1015 cm	35.3 kg		075/738	1,699.00
10	1016 – 1050 cm	35.8 kg		075/739	1,799.00
11	1051 – 1085 cm	36.3 kg		075/740	1,899.00
12	1086 – 1120 cm	37 kg	NEU	075/758	1,949.00

Sun Canopy Canopy Shady Pro

HOITI HIOUCI 2023 OHWUIUS:)	
Weight	
7.2 kg	075/755
7.5 kg	075/744
7.8 kg	075/757

 7.5 kg
 075/744
 269.00

 7.8 kg
 075/757
 309.00

 8.1 kg
 075/756
 319.00

 8.4 kg
 075/745
 339.00

249.00









air tubes transparent windows

easy to set up



You can find additional accessories from page 90 onwards

> e.g. air pump, pole tensioner, Safe Lock, storm straps, awning carpet

Accessories



Extension Octavia Air

Use this extension to upgrade your travel awning Octavia Air to have even more space. Easy and stable attachment via zip. Poles: Airtube. Dim. (WxHxD): 220x185x150 cm; Pack size: 61 x 24 x 24 cm; Weight: 7 kg

> 075/345 629.00

from 550.00

100 % PES polyester, with PU coating

Octavia Air



The fully integrated air tube awning with its modern round form is an eye catcher on every campsite no matter where you go. Being incredibly stable, quickly set up and perfectly adaptable to any caravan, it makes every camper's heart beat faster. The positive effect this awning will have on your holiday is immediately apparent when you set it up. The Octavia Air can optionally be expanded with a sun canopy and an extension.

Front wall: made of two pieces, completely detachable, with veranda effect. One door each on the left and right. Window with transparent film. Top ventilation.

Side walls: completely detachable with door. Gauze window, can be closed with a transparent film flap with zips.

Roof: rounded for more stability.

Material: roof and side walls made of extra strong KlimaTex polyester fabric, PU-coated.

Poles: Airtube

Scope of delivery: tensioning material, Airtube, double action pump, curtains, windbreak, transport bag, tent

Sun Canopy Octavia Air

Upgrade your travel awning Octavia Air with this sun canopy to have even more space in the shade and a dry place for when it rains. It is attached to the awning with a plastic connecting profile. Aluminium poles are included in delivery. Material: TenCate All Season 70 % PES and 30 % PVA with external coating.



Size	A-Measurement	Weight		Price
10	875 – 900 cm	34 kg	075/324	1,819.00
11	900 – 925 cm	35 kg	075/325	1,849.00
12	925 – 950 cm	36 kg	075/326	1,879.00
13	950 – 975 cm	37 kg	075/327	1,915.00
14	975 – 1000 cm	39 kg	075/328	2,035.00
15	1000 – 1025 cm	41 kg	075/329	2,149.00
16	1025 – 1050 cm	42 kg	075/330	2,205.00
17	1050 – 1075 cm	44 kg	075/331	2,265.00
18	1075 – 1100 cm	45 kg	075/332	2,319.00
19	1100 – 1125 cm	46 kg	075/333	2,399.00

Weight		Price
3.6 kg	075/335	550.00
3.7 kg	075/336	562.00
3.9 kg	075/337	573.00
4.1 kg	075/338	592.00
4.3 kg	075/339	609.00
4.5 kg	075/340	621.00
4.7 kg	075/341	642.00
4.9 kg	075/342	662.00
5.1 kg	075/343	688.00
5.3 kg	075/344	758.00

The ideal companion for your holiday.

NEW from 2,049.00

Pluto 2.0

Tent depth: 250 cm



With piping for a sun canopy!



Quick and easy to set up
Fully integrated inflatable awning







travel awning Pluto with panorama window







Airtube

100 % PES polyester, double-sided PU coating

Pluto 2.0





Thanks to the AAS air technology, the inflatable awning Pluto is quick and easy to set up. It is pulled completely into the piping rail of your caravan. This means that all windows, doors and service hatches can be opened easily and that the sides of your caravan are sealed against wind and weather. Thanks to the high-quality HydroTech® CottonTouch material, the permanent ventilation and the tinted windows, the temperature inside the awning will be pleasant even on hot summer days. The removable front and side walls are equipped with mosquito nets and can be used as needed. The new model is additionally equipped with a connection for the sun canopy Canopy Shady Pro.

ester

Front wall: removable, with mosquito net.

Can be used as needed

Side walls: removable, with mosquito nets.

Can be used as needed

Material: HydroTech® CottonTouch 100 % poly-

Poles: Advanced Air System® (AAS)

You can find a more detailed description of the sun canopy Canopy Shady Pro on page 81.



Travel Awning Pluto 2.0

Size	A-Measurement	Weight	Item no.	Price
07	911 – 945 cm	45 kg	075/761	2,049.00
80	946 – 980 cm	46 kg	075/762	2,249.00
09	981 – 1015 cm	47 kg	075/763	2,349.00
10	1016 – 1050 cm	49 kg	075/764	2,549.00
11	1051 – 1085 cm	50 kg	075/765	2,599.00
12	1086 – 1120 cm	51 kg	075/766	2,699.00

Spacer Set

Spacer to compensate for uneven grounds. Content: 4 pieces; Dim. (Hxø): 3x16 cm; Weight: 2.4 kg 075/463 12.95

Additional Air Tube Set Pluto

The front wall air tube set provides extra stability for your travel awning Pluto. Dim. (Lxø): 180 x 10 cm 075/314 99.90

Veranda Pole Pluto

up to size 10

Extendable: 2.2 – 2.9 m **075/605** 34.95 from size 11

Extendable: 3 15 - 3 4 m 075/698 34.95

Extension Eris Premium (see page 94)

Scope of delivery: tensioning material, Airtube, roof pole, mosquito net, transport bag, tent. Colour: grey; Material: 100 % PES polyester Dim. (WxHxD): 210x180x180 cm Pack size: 95x30x30 cm; Weight: 11 kg

> 699.95 075/789

Sun Canopy Canopy Shady Pro

(from model 2023 onwards!)

Weight		Price
6.9 kg	075/743	239.00
7.2 kg	075/755	249.00
7.5 kg	075/744	269.00
7.8 kg	075/757	309.00
8.1 kg	075/756	319.00
8.4 kg	075/745	339.00

Freedom, comfort and luxury in XL!

With piping for a sun canopy!

Pluto XL 2.0

Tent depth: 300 cm





Fully integrated inflatable awning Quick and easy to set up Large panorama windows













100 % PES polyester, double-sided PU coating

Pluto XL 2.0

spacious interior





With a depth of 300 cm, the inflatable awning Pluto XL is incredibly spacious! It is pulled completely into the piping rail of your caravan. This means that all windows, doors and service hatches can be opened easily and that the sides of your caravan are sealed against wind and weather. Thanks to the high-quality HydroTech® CottonTouch material, the permanent ventilation and the tinted windows, the temperature inside the awning will be pleasant even on hot summer days. The removable front and side walls are equipped with mosquito nets and can be used as needed. The large panorama windows ensure that you always have a great view and optimal lighting conditions. Thanks to the AAS air technology, the inflatable awning Pluto XL is especially quick and easy to set up. The new model is additionally equipped with a connection for the sun canopy Canopy Shady Pro.

Front wall: removable, with mosquito net and panorama window. Can be used as needed.

Side walls: removable, with mosquito nets and panorama windows. Can be used as needed.

Material: HydroTech® CottonTouch 100 % polyester

Poles: Advanced Air System® (AAS)

Scope of delivery: 1 veranda pole, 2 transport bags, tensioning material, Airtube, air pump, mud flap & wheel cover with ventilation, tent

You can find a more detailed description of the sun canopy Canopy Shady Pro on page 81.

Travel Awning Pluto XL

Size	A-Measurement	Weight		Price
07 XL	911 – 945 cm	46 kg	075/767	2,349.00
08 XL	946 – 980 cm	47 kg	075/768	2,449.00
09 XL	981 – 1015 cm	49 kg	075/769	2,549.00
10 XL	1016 – 1050 cm	50 kg	075/770	2,749.00
11 XL	1051 – 1085 cm	51 kg	075/771	2,799.00



The optional extension
Eris Premium offers even
more space.



Extension Eris Premium

Scope of delivery: tensioning material, Airtube, roof pole, mosquito net, transport bag, tent

Colour: grey; Dim. (WxHxD): 210x180x180 cm; Pack size: 95x30x30 cm; Weight: 11 kg 075/789 699.95



Sun Canopy Canopy Shady Pro

Sun Canopy Canopy Shady Pro

(from model 2023 onwards!)

	Price
075/743	239.00
075/755	249.00
075/744	269.00
075/757	309.00
075/756	319.00
	075/743 075/755 075/744 075/757





Can also be used as a sun canopy.

With 4 door options



Airtube

100 % PES polyester, with PU coating

thanks to veranda effect

Luxor Air



The fully integrated inflatable awning has a depth of 280 cm. Specially designed to create a large, luxurious space with plenty of daylight in front of your caravan. Weatherproof, with sealed seams and double mud flap. Optionally, the awning can be extended with an extension attached to the desired side wall.

Front wall: with covered zips for optimum protection. Transparent film windows with curtains. Windows can be folded down to form a veranda. Front walls are exchangeable. This results in four possible doors.

Side walls: with covered zips. Side walls can be completely removed and replaced thanks to a zip. This means that the ventilation windows can be placed at the front or towards the caravan.

Transparent film windows with curtains for even more privacy.

Material: made of extra strong KlimaTex polyester fabric. PU-coated.

Poles: Airtube

Scope of delivery: tensioning material, Airtube, double action pump, curtains, transport bag, tent

You will find additional accessories from page 90 on.



Side Wall with Gauze Window

Side wall with gauze window for travel awning Luxor Air. Dim. (WxHxD): 175x182x0.2 cm; Pack size: 28.7x20x6.1 cm; Weight: 600 g 075/993 69.00



Extension Luxor Air

Extension for the travel awning Luxor Air. Simply attach the extension to any side wall of the awning via zip.

Material: KlimaTex; Dim. (WxHxD): 220x175x220 cm; Pack size: 61.5x25.5x 25.5 cm; Weight: 6 kg 075/588 629.00

Size	A-Measurement	Weight		Price
09	850 – 875 cm	35.8 kg	075/566	2,069.00
10	875 – 900 cm	37 kg	075/567	2,205.00
11	900 – 925 cm	37.7 kg	075/568	2,239.00
12	925 – 950 cm	38.4 kg	075/569	2,279.00
13	950 – 975 cm	39.1 kg	075/570	2,385.00
14	975 – 1000 cm	41.6 kg	075/571	2,449.00
15	1000 – 1025 cm	42.8 kg	075/572	2,569.00
16	1025 – 1050 cm	43.5 kg	075/573	2,615.00
17	1050 – 1075 cm	44.2 kg	075/574	2,689.00
18	1075 – 1100 cm	44.9 kg	075/575	2,739.00
19	1100 – 1125 cm	45.1 kg	075/576	2,759.00









Can be extended in a variety of ways!



699.95 Suitable for Pluto 2.0, Pluto XL 2.0, Vega 2.0, Galaxy 2.0, Neptune 2.0 and Orion 2.0.

and creates extra living space in your awning! No matter whether you are sleeping in it or use it as a kitchen or storage tent, Eris offers a variety of possibilities. The door and the tinted windows with privacy function create optimum light conditions and always give you a perfect view. The height of 180 cm offers headroom and leaves nothing to be desired. A double zip allows you to use the existing side wall of your inflatable awning as a partition or room divider. The supplied roof poles ensure optimum tension in the roof.

Scope of delivery: tensioning material, Airtube, roof pole, mosquito net, transport bag, tent

Pack size: 95 x 30 x 30 cm; Weight: 11 kg

075/789

Extension Eris Premium

The extension Eris is quick and easy to set up

Material: HydroTech® CottonTouch

Colour: grey; Dim. (WxHxD): 210x180x180 cm;

699.95

Sun Canopy Canopy Shady Pro

Scope of delivery: tensioning material, sun canopy, poles; Colour: grey

(from model 2023 onwards))

(HOITI HIOUEI 2023 OTIWatus):/	
Weight		Price
7.2 kg	075/755	249.00
7.5 kg	075/744	269.00
7.8 kg	075/757	309.00
8.1 kg	075/756	319.00

Airtube

PES polyester, PVA polyvinyl acetate

Galaxy 2.0







6000 mm

The luxury inflatable awning Galaxy by Westfield TQC is made in Germany with the best European fabrics. Thanks to its design and modern shape, you will feel even more comfortable on holiday. The large windows that can be closed from the inside, the depth of 250 cm and the headroom in the awning ensure that you have a very pleasant feeling of space. The indoor climate is also optimal in any weather thanks to the high-quality AIRTEX® and TenCate® All Season materials and the many ventilation options. With the Galaxy luxury inflatable awning attached to your caravan, you are ready for your next holiday. Suitable for seasonal use.

Front wall: two parts, detachable, with door. With large panorama windows with blinds and mosquito nets.

Side walls: with large panorama windows with blinds and mosquito nets.

Material: AIRTEX® (side walls) and TenCate® (roof) All Season

Poles: Airtube (AAS)

You can find a more detailed description of the sun canopy Canopy Shady Pro on page 81

Travel Awning Galaxy 2.0

Size	A-Measurement	Weight		Price
08	946 – 980 cm	47 kg	075/772	3,099.95
09	981 – 1015 cm	48 kg	075/773	3,199.95
10	1016 – 1050 cm	49 kg	075/774	3,299.95
11	1051 – 1085 cm	50 kg	075/788	3,399.95

Frankana Freika®





All segments of the front and side walls can be removed.



double-sided PVC coating, 100 % PES polyester







This stylish 5-piece awning in a lively and friendly colour design offers numerous equipment features

easily enter the awning. The roof ventilation provides a pleasant indoor climate.

and comfort at an incredible price. Versatile use, e.g. as a sun canopy, either with or without side walls. Enjoy your holiday and leisure time! Thanks to the doors in the front and side walls, you can

Front wall and side walls: can be removed.
Front wall can be divided and used as a veranda.
Entrance door can be rolled up. Front wall window with curtains. The canopy is equipped with

hemstitches for additional poles (optional).

Side walls: with doors that can be rolled back. The right side wall is equipped with a double wind corner (advantageous for aerodynamic caravans). Large gauze windows.

Roof: with permanent and high ventilation. Equipped with rain gutter piping on both sides.

Material: roof, front and side walls are made of high-quality, PVC-coated (both sides) polyester fabric (Trevira); extremely tear-proof, rinseable and easy to clean.

Poles: not included, please order separately.

Scope of delivery: tensioning material, mud flap, curtains, wheel case cover, transport bag, tent



Unroll the front wall partially or completely and enjoy the veranda effect.

Enjoy your holiday to the fullest with this versatile awning.

Please order the poles separately!



Standard Steel Poles

Steel poles ø 25 mm with GripStop system. The pole locks when pressing it together without any damage. Very easy to use.

Pack size: 120 x 25 x 18 cm;

Weight: 15.6 kg **610/063 239.00**

Storm Strap Set Frankana Freiko

	070/926	52.50
Tension Rafter	610/021	22.95
Storm Pole ø 22 mm	610/026	23.50
Roof Pole with Hook		
ø 25 mm	610/043	24.50
Mosquito Net Door	075/449	179.95

Size	A-Measurement	Weight		Price
12	881 – 910 cm	24 kg	070/340	999.00
13	911 – 940 cm	26 kg	070/341	1,070.00
14	941 – 970 cm	28 kg	070/342	1,110.00
15	971 – 1000 cm	30 kg	070/343	1,140.00
16	1001 – 1030 cm	32 kg	070/344	1,199.00

Frankona Freiko*

Completely washable and weatherproof!





without poles

double-sided PVC coating, 100 % PES polyester

Prestige





Complete protection for even more privacy.

Seven-part awning for everyone who wants more. Exterior mud flap, tensioning on the inside, storm straps at the front wall. Can also be used as a sun canopy if you remove the front and side walls. Covered zips. Also suitable for aerodynamic vehicles. With over-welded roof seam as standard.

Front wall: consisting of 4 parts, removable and can be rolled up to form a veranda. Window segments with non-transparent PVC flaps. Incl. curtains in matching design. The front door can be positioned either on the left or on the right.

Side walls: are removable. Gauze/foil window with translucent embossed foil flap. One entrance door each.

Roof: made of one element, with reinforced pole eyelets, SHS roof piping with fabric sheath, welded roof seam and closable roof ventilation, canopy depth 18 cm.

Material: The tent is completely made of washable, weatherproof polyester fabric with PVC coating on both sides. Absolutely leakproof, very easy to clean (even from spore stains) and rot-proof. Very high tear resistance.

Poles (not included): Please order separately. We recommend 2 additional roof hook poles (610/043) and 2 storm poles (610/044).

Scope of delivery: tensioning material, mud flap, wheel case cover, SHS piping, curtains (front wall), transport bag, tent





Poles Prestige/Bodensee

From size 11 on, we recommend 2 roof hook poles and 2 storm poles.

steel ø 25 mm **610/069 195.00**

Storm Strap Set Frankana Freiko

•	070/926	52.50
Tension Rafter	610/021	22.95
Storm Pole ø 25 mm	610/044	25.50
Roof Pole with Hook		
ø 25 mm	610/043	24.50
Mosquito Net Door	075/449	179.95

Size	A-Measurement	Weight		Price
10	881 – 905 cm	29 kg	070/090	1,430.00
11	906 – 930 cm	30 kg	070/091	1,475.00
12	931 – 955 cm	31 kg	070/092	1,485.00
13	956 – 980 cm	32 kg	070/093	1,545.00
14	981 – 1005 cm	33 kg	070/094	1,555.00
15	1006 – 1030 cm	34 kg	070/095	1,590.00
16	1031 – 1055 cm	35 kg	070/096	1,645.00

M Frankana Freiko[®]

Perfect price-performance ratio!

from 1,579.00

Finnland



Advantages Incl. curtains Veranda effect **Optionally extendable**






100 % PVC polyvinyl chloride



Can be folded down to form a veranda



Finnland



Front wall: two pieces, interchangeable. Entrance door can be rolled up and away. With Velcro and fleece for vertical pole. Lockable permanent top ventilation.

Side walls: with gauze window with clear and dark cover. Lateral piping for attaching a rain gutter. Piping for attaching a bay on the right side

Roof: hemstitches in the canopy to accommodate the canopy tensioning poles.

Material: roof, side/front wall and draught skirt made of PVC

Poles: ø 25 mm steel (5 roof poles, 3 storm poles, canopy poles)

Scope of delivery: ø 25 mm steel poles, tensioning material, mud flap, curtains, transport bag, tent



Extension Grönland/Finnland

The extension for the awnings Grönland and Finnland is connected to the awning by means of a double piping profile. With blackout front



window and a lateral entrance that can be rolled up. Poles: 25 mm steel, incl. central roof strut and loop legs.

Material: PVC polyvinyl chloride; Dim. (WxHxD): 140 x 200 x 215 cm; Pack size: 120 x 41 x 39 cm; Weight: 24 kg 075/595 549.00

Mosquito Net Door

Mosquito net door for the awning entrance. Can be rolled up. Attached between two vertical poles using a veranda pole and clamps. Dim. (LxW): 215 x 100 cm

075/449 179.95



Steel Poles Finnland

If the tent is subjected to harsher conditions or high loads, e.g. wind or roof loads, reinforced steel poles are recommended. For an additional charge, you can purchase 32 mm steel poles instead of the 25 mm steel poles (additional weight: 20 kg).

	075/564	199.95
Storm Strap Set	070/927	44.95
Storm Package	075/531	389.00

Tent depth: 240 cm

Size	A-Measurement	Weight		Price
04	806 – 840 cm	55 kg	075/542	1,579.00
05	841 – 875 cm	57 kg	075/543	1,599.00
06	876 – 910 cm	59 kg	075/544	1,629.00
07	911 – 945 cm	61 kg	075/545	1,649.00
80	946 – 980 cm	63 kg	075/546	1,699.00
09	981 – 1015 cm	65 kg	075/547	1,719.00
10	1016 – 1050 cm	67 kg	075/548	1,749.00
11	1051 – 1085 cm	69 kg	075/549	1,799.00
12	1086 – 1120 cm	71 kg	075/550	1,839.00
13	1121 – 1155 cm	73 kg	075/551	1,879.00
14	1156 – 1190 cm	75 kg	075/552	1,919.00

Tent depth: 280 cm

Size	A-Measurement	Weight		Price
04	806 – 840 cm	58 kg	075/553	1,859.00
05	841 – 875 cm	60 kg	075/554	1,879.00
06	876 – 910 cm	62 kg	075/555	1,899.00
07	911 – 945 cm	64 kg	075/556	1,929.00
08	946 – 980 cm	66 kg	075/557	1,979.00
09	981 – 1015 cm	68 kg	075/558	1,999.00
10	1016 – 1050 cm	70 kg	075/559	2,029.00
11	1051 – 1085 cm	72 kg	075/560	2,079.00
12	1086 – 1120 cm	74 kg	075/561	2,109.00
13	1121 – 1155 cm	76 kg	075/562	2,159.00
14	1156 – 1190 cm	78 kg	075/563	2,189.00

The perfect awning for permanent or seasonal campers.

from 1,910.00

Rhön DC

Tent depth: 240 cm







For more privacy!

Please order the poles separately!

Poles

The pole set consists of 5 roof poles and 5 support poles. Material: steel; ø 25 mm



610/060 307.50





without poles

double-sided PVC coating, 100 % PES polyester

Rhön DC







The ideal PVC awning for both permanent and seasonal campers as well as for those conscious of quality and comfort. Window flaps made of canvas. Heavy and covered zips. Double curtain rail and curtains with roll suspension. Hemstitch pockets in the canopy, Velcro strip channels for increased storm resistance. Suitable for vehicles with aerodynamic bow design (KNAUS, Bürstner, Eifelland, etc.).

Front wall: consists of four parts. Each part can be removed individually. Can be used as a veranda. All windows can be closed with window flaps. The front door can be placed either to the left or to the right of the centre. The door can be rolled up. Velcro strip channel under windows.

Side walls: removable, with one door each. Gauze/foil window with clear foil flap and window flap. Velcro strip channel under windows.

Roof: without attachment seam and with SHS piping. Covered gable ventilation with welded gable seam, piping rail for rain gutter, roof overhang 18 cm.

Material: front wall, side walls and roof made of rinseable PVC-coated tarpaulin.

Poles: Not included in delivery, please order separately!

Scope of delivery: tensioning material, mud flap, curtains, wheel case cover, bag, tent

Storm Strap Set Frankana Freiko

Tensioning is provided by a strong tension spring that regulates the tension of the strap while an iron ground spike ensures the necessary hold. On storm roofs without an overhang, the eyelet of the strap is placed on the spike of the tent poles.

Set: 2 straps with eyelets (length: 280 cm), 2 relief springs, buckles, abrasion protection and 2 pegs. Suitable for: Lux, Prestige, Jubilee, Rhön DC and 070/926 Feldberg. 52.50

Side Wall Curtains

Enhance your awning with curtains and create a homely atmosphere. Protects against unwanted glances. Set consists of 4 curtains.

Weight: 800 g 070/409 100.00

Window Awning Rhön 071/004 100.00

09 856 - 880 cm 35 kg 070/210 1,910.00 10 881 - 905 cm 36 kg 070/211 1,970.00 11 906 - 930 cm 37 kg 070/212 2,035.00 12 931 - 955 cm 38 kg 070/213 2,095.00 13 956 - 980 cm 39 kg 070/214 2,110.00 14 981 - 1005 cm 40 kg 070/215 2,145.00 1006 - 1030 cm 15 41 kg 070/216 2,205.00 16 070/217 1031 - 1055 cm 42 kg 2,240.00 17 1056 - 1080 cm 43 kg 070/218 2,265.00

20.50







Power Grip

Content: 4 pieces; Dim. (ø): 22 mm;

Weight: 231 g 20.50 610/353





All windows can be closed with window flaps.

100 % PVC polyvinyl chloride



Awning walls can be folded down to form a veranda.



optionally available extension



Grönland

Steel



Accessories

The ideal awning for permanent campers. Under every window, there are storm straps on the outside and hemstitches on the inside. The tent has three roof channels and a special piping for screwless support brackets (brackets not included) and a lateral piping for a rain gutter. A Vario corner ensures that the awning perfectly adapts to your caravan. The double draught skirt with sewed on piping between the mud flaps makes it possible to move special tensioning hooks.

Front wall: 4 pcs. (6 pcs. from size 11), all parts are interchangeable. Can be folded down to form a veranda. Entrance (80 cm) can be rolled up. Vertical Velcro channels. Closable top ventilation.

Side walls: 2 pcs., all parts are interchangeable (1 x door, 3 x windows), window 1/2 gauze, 1/2 film, with dark cover. Veranda option. Vertical Velcro channels.

Roof: with three roof channels for roof poles with Velcro tape. Hemstitches in the canopy for canopy tensioning poles.

Material: rinseable and easy-to-clean PVC

Poles: Ø 32 mm steel poles consisting of: 5 roof poles, 5 pitching poles, canopy poles.

Scope of delivery: Ø 32 mm steel poles, tensioning material, mud flap, curtains, transport bag, tent

Storm Package

Simply pull it into the awning's hemstitches. That way, the awning walls are less compressed by the wind and the awning stays upright. Thanks to four additional roof poles, the distance between the poles is halved. This reduces the risk of water accumulating in heavy rain.

Scope of delivery: Ø 25 mm and 32 mm steel roof poles and clamps for Ø 32 mm steel poles.

	0/3/331	369.00
Extension Grönland/		
Finnland	075/595	549.00
Mosquito Net Door	075/449	179.95
Storm Strap Set	070/927	44.95
No Screw Brackets		
Content: 2 pieces	610/221	16.90

Tent depth: 240 cm

Tent	dep	th:	280	cm
------	-----	-----	-----	----

Size	A-Measurement	Weight		Price	Size	A-Measurement	Weight		Price
05	841 – 875 cm	70 kg	075/521	2,339.00	05	841 – 875 cm	72 kg	075/526	2,599.00
06	876 – 910 cm	72 kg	075/522	2,359.00	06	876 – 910 cm	74 kg	075/527	2,629.00
06.5	894 – 929 cm	73 kg	075/630	2,379.00	06.5	894 – 929 cm	76 kg	075/631	2,649.00
07	911 – 945 cm	74 kg	075/382	2,389.00	07	911 – 945 cm	76 kg	075/391	2,669.00
07.5	930 – 964 cm	75 kg	075/383	2,409.00	07.5	930 – 964 cm	77 kg	075/392	2,689.00
08	946 – 980 cm	76 kg	075/384	2,429.00	80	946 – 980 cm	78 kg	075/393	2,699.00
08.5	965 – 999 cm	77 kg	075/385	2,449.00	08.5	965 – 999 cm	79 kg	075/394	2,719.00
09	981 – 1015 cm	78 kg	075/386	2,459.00	09	981 – 1015 cm	80 kg	075/395	2,729.00
09.5	1000 – 1034 cm	79 kg	075/387	2,479.00	09.5	1000 – 1034 cm	81 kg	075/396	2,749.00
10	1016 – 1050 cm	80 kg	075/388	2,489.00	10	1016 – 1050 cm	82 kg	075/397	2,769.00
10.5	1035 – 1069 cm	81 kg	075/523	2,519.00	10.5	1035 – 1069 cm	83 kg	075/528	2,779.00
11	1051 – 1085 cm	82 kg	075/389	2,529.00	11	1051 – 1085 cm	84 kg	075/398	2,799.00
12	1086 – 1120 cm	84 kg	075/390	2,559.00	12	1086 – 1120 cm	86 kg	075/399	2,839.00
13	1121 – 1155 cm	86 kg	075/524	2,599.00	13	1121 – 1155 cm	88 kg	075/529	2,869.00
14	1156 – 1190 cm	88 kg	075/525	2,629.00	14	1156 – 1190 cm	90 kg	075/530	2,899.00
15	1191 – 1224 cm	90 kg	075/632	2,649.00	15	1191 – 1224 cm	92 kg	075/633	2,929.00





Protect yourself from prying eyes with all-round window flaps!



storm retainer strip

material made of wipeable, easy-to-clean PVC tarpaulin fabric

Stee

double-sided PVC coating, 100 % PES polyester

Feldberg DC





The 7-part awning, ideal for permanent campers, is characterised by extensive features and excellent workmanship. The tarpaulin fabric is washable and therefore easy to care for. This awning with frame is part of the Frankana Freiko tent collection and is very functional and well thought-out.

Front wall: consisting of 4 parts, removable and can be rolled away to form a veranda. Door can be rolled up. With storm flaps inside, storm tensioning bar outside and covered zips. External flaps made of tarpaulin fabric.

Side walls: completely removable. Gauze/film window with foil flap and outer flap made of tarpaulin fabric. The door can be rolled away laterally. With covered zips.

Roof: made of one piece. Roof piping with fabric sheathing for the screwless support system (SHS system). Welded gable seam, reinforced eyelets and covered gable ventilation. Hemstitch flaps in canopy, 30 cm circumferential roof overhang.

Material: Front wall, side walls and roof made of washable and easy-care PVC tarpaulin fabric.

Poles: Ø 25 mm steel, consisting of: 5 roof poles, 5 support poles, frame for the roof overhand.

From size 17, we recommend 2 additional roof hook poles (610/113) and 2 storm poles (610/044).

Scope of delivery: Ø 25 mm steel poles, tensioning material, mud flap, curtains, wheel case cover, transport bag, tent



roof vent can be covered

Accessories

Storm Pole

Storm poles serve as an additional stabilisation for your awning. We definitely recommend them for larger tents, summer tents and all-season tents. The storm pole can be fixed anywhere between a roof support pole and the ground. Material: steel; Dim. (Ø): 25 mm; Content: 1 piece

610/044

25.50

26.90

Roof Pole with Hook

Telescopic roof pole with hook. Suitable for awnings, ridge tents, canopies and sun sails. Material: steel; Dim. (ø): 25 mm; Content: 1 piece

610/113

Information

You can find the appropriate assembly instructions at www.frankanafreiko.de

Size	A-Measurement	Weight		Price
11	906 – 930 cm	74 kg	075/428	2,655.00
12	931 – 955 cm	75 kg	075/429	2,705.00
13	956 – 980 cm	76 kg	075/430	2,720.00
14	981 – 1005 cm	77 kg	075/431	2,745.00
15	1006 – 1030 cm	78 kg	075/432	2,785.00
17	1056 – 1080 cm	80 kg	075/434	2,840.00
18	1081 – 1105 cm	86 kg	075/435	2,865.00











Steel 100 % PES polyester, PVC coating

Allgäu



The freestanding, weatherproof awning is entirely made of PVC. A double draught skirt with sewn-on piping allows you to move specific tensioning hooks freely. Thanks to hemstitches at the canopy and under the interior windows as well as storm retainer strips on all exterior windows, additional poles (storm poles) can be mounted. All window flaps can be closed via zip. Three-sided roof overhang approx. 25 cm and 40 cm wide overhang flap, parallel to the vehicle wall. With six pre-installed storm clips (storm straps additionally available).

Front wall: two pieces, both pieces interchangeable. Entrance door can be rolled up. A mosquito net door is optionally available (075/449). Vertical Velcro channels for further fixation of the poles as well as quick opening and closing.

Side walls: interchangeable, equipped with a closable permanent top ventilation. One side wall with large gauze windows with see-through cover and a PVC window flap above. One side wall with a laterally retractable door, gauze, see-through foil and a PVC window flap.

Tent depth: 250 cm

Width	Weight		Price
450	110 kg	075/136	2,739.00
500	115 kg	075/137	2,939.00
550	120 kg	075/138	3,269.00
600	130 kg	075/139	3,459.00
650	134 kg	075/532	3,699.00

Rear wall: made of two parts, rubber foam bulges can be attached via zip. The rear wall's height can vary from 235 to 250 cm.

Material: front wall, side walls and roof made of washable, easy-to-clean, weatherproof PVC tarpaulin fabric

Poles: ø 32 mm steel frame (5 roof poles, 8 vertical poles, canopy poles)

Scope of delivery: ø 32 mm steel poles, tensioning material, curtains, tent

Tent depth: 300 cm

Width	Weight		Price
450	116 kg	075/533	2,999.00
500	121 kg	075/534	3,199.00
550	126 kg	075/535	3,569.00
600	131 kg	075/536	3,799.00
650	136 kg	075/537	3,979.00





rear wall



Storm Package Allgäu

Stabilises your all-season tent, even in windy conditions. With hemstitches under the inside of the window for the optional storm poles. Wind from the front and side can be absorbed better as the tent walls are less compressed. The four additional roof poles halve the distance between the poles, i.e. water cannot accumulate easily in heavy rain.

Material: steel poles 25 mm and 32 mm

075/538 399.95



Rain Gutter Allgäu

The high-quality aluminium rain gutter is attached to the canopy poles and ensures the controlled draining of rainwater from the pent roof. Scope of delivery: rain gutter, connector and clamps.

Weight		Price
5 kg	075/300	299.00
5.5 kg	075/301	319.00
6 kg	075/302	339.00
6.5 kg	075/303	355.00
7.5 kg	075/541	369.00






Determining the size for partial tents

The length of the partial tent is calculated from the length of the piping rail. Measure the length of the piping rail along the caravan roof with a cord (A to B). This will give you the maximum length of the partial tent.

The attachment height of a caravan is the distance from the ground to the piping rail (C).



Tent poles made of steel

Tubular steel poles are recommended for permanent and winter camping, as the material guarantees a high level of stability. This is necessary in winter to ensure sufficient stability even when it snows.

These poles usually have a diameter of 22 to 25 millimetres. For regions with very strong winds or storms, however, some manufacturers also offer tent poles made of galvanised steel with a diameter of 32 millimetres.

Steel poles are heavier than aluminium or GRP poles and are more susceptible to corrosion caused by moisture.

Tent poles made of fibreglass (GRP)

These poles are made of epoxy resin and glass fibres. They are robust and very light at the same time. When it comes to awnings, fibreglass poles are sometimes used in the roof arch.

Fibreglass poles are very strong and have a long service life. They are also lighter than steel poles.

Tent poles made of aluminium

The significant weight advantage over steel plays a major role when it comes to aluminium poles. A 28 mm aluminium pole weighs only about half as much as a 25 mm steel pole. This enormous saving is a major advantage for holiday campers. Another advantage: aluminium does not rust or corrode.

However, if the tent is set up in an area with extreme wind and weather, you should avoid aluminium and use steel instead. You should also reinforce these steel poles with storm poles.

Inflatable poles

Inflatable poles are inflated quickly and easily using an air pump. The air is pumped into the air tubes using a hand pump or a compressor, which sets up the tent.

Very suitable for short-term camping and frequent changes of location.

Information

Partial tents do not cover the entire length of the caravan. This makes them independent of the overall dimensions of the caravan. They are initially set up in the same way as larger tents: the tent piping is simply pulled into the piping rail on the roof and, if required, to the left or right.

With a partial tent, however, you are much more flexible, as it fits on different vehicles and can be attached in the centre as well as on the right or left. Please take care that windows and openings are not covered.

Partial tents are optimally adapted to the respective purpose. The quick setup is particularly advantageous for short trips or winter camping. Winter campers also benefit from the shallow tent depth as the resulting steeper roof surface allows snow to slide off easily.

Be it a classic pole tent, an inflatable awning or a van awning, the right choice creates the basis for a successful holiday.

Partial tents with poles

A partial tent with poles is the classic way to create additional space in front of your caravan. The poles are stable and robust and made of steel, aluminium, Duratec fibreglass or other materials (e.g. carbon), depending on the type of tent.

Inflatable partial tents

With an inflatable partial tent, you can create more space in no time at all and enjoy your holiday right from the start. These awnings fit perfectly onto your caravan and are therefore indispensable companions on a round trip. As they can be set up and taken down quickly, they are also suitable for motorhomes.

The variety of sizes, styles and fabrics ensures the greatest possible comfort for every holidaymaker – no matter the weather. Pay attention to the mounting height!

Partial tents

Variable living space

The perfect addition to your next holiday!



Partial Tent Dorado XL



Partial Tent Friesland



100 % PES polyester

Sun Canopy

Quick'n Easy Air



The inflatable sun canopy is suitable for caravans up to a piping rail height of approx. 230 – 255 cm. Thanks to the valve system, it is easy to set up. A perfect solution for weekend trips and spontaneous short holidays. The side entrances are removable and can be rolled up for optimum flexibility. A perfect lightweight sun canopy at an unbeatable price.

Material: 150D Weathertex polyester fabric, welded seams. UV-resistant and flame-retardant.

Scope of delivery: 2 side walls with window, tensioning material, air pump, sun canopy

Sun Canopy Quick'n Easy Air 325

Dim. (WxD): 325x240 cm

Pack size: 73 x 29 x 29 cm; Weight: 8.3 kg

075/492 379.00

Sun Canopy Quick'n Easy Air 385

Dim. (WxD): 385x240 cm

Pack size: 77.5 x 31.5 x 31 cm; Weight: 9.7 kg

075/493 489.00



Side doors can be removed completely.



With 2 side doors





4000 mm



100 % PES polyester, with PU coating

Partial Tent

Quick'n Easy Air

Thanks to a central inflation valve, the tent can be set up incredibly fast and comfortably. With additional poles, the tent's stability can be increased. Thanks to a variety of functions, the tent is versatile. The particularly small pack size and great equipment make it perfect for your next short break or weekend trip. The tent's stability in any wind and weather can be increased by an

Front wall: with window, rollable.

additional air tube (075/188).

Side walls: with windows and window covers, (gauze) door on both sides.

Material: Weathertex polyester fabric, PU-coated.

Poles: Airtube

Scope of delivery: tensioning material, Airtube, air pump, transport bag, tent





for more privacy.



[†]Accessories

4000 mm

Pressure Poles 075/192 44.00 Airtube Roof Rail 075/188 35.00

Roof Lining Quick'n Easy



The roof lining for your partial tent Quick'n Easy Air creates a comfortable living environment and reduces the formation of condensed water. Material: 35 % cotton, 65 % polyester

Size	Weight	Item no.	Price
225	200 g	075/189	23.00
265	250 g	075/190	31.00
325	400 g	075/191	39.00

225 225 x 240 cm 9 kg 075/180 388.00 265 265 x 240 cm 11 kg 075/181 453.00 325 075/182 325 x 240 cm 13 kg 574.00

Frankana Freika[®]



GRP Fibreglass, Steel 100 % PES polyester, with PU coating

Siena



The Siena is a lightweight partial awning for attachment to a caravan. It has only one arch pole, which makes it quick and easy to pitch. All walls can be detached entirely via zip so that you can convert your awning into a canvas awning. All windows are equipped with transparent film and cover. The sturdy canopy protects you against rain and provides shade. The perfect tent for weekend and short trips. Piping length: 350 cm, ø 7 mm.

Front wall: detachable, with two windows, one entrance door and canopy.

Side walls: detachable, with window.

Material: 100 % PES polyester, PU-coated.

Poles: ø 12.7 mm GRP, ø 19 mm steel

Dim. (WxHxD): 350x240x250 cm;

Pack size: 73.5 x 26.5 x 25.5 cm; Weight: 9.95 kg

429.00 075/034

Scope of delivery: ø 12.7 mm GRP poles, ø 19 mm steel poles, tensioning material, transport bag, tent





Easy pitching thanks to only one arch pole.







100 % PES polyester





All windows can be covered completely

3000 mm

Lynx is a lightweight partial tent with quick pitch Airtube system. It was specially developed for the entrance area of your caravan or motorhome. Set up in a matter of minutes, it protects you against the weather and can be used in various ways. All windows can be fully covered for more privacy.

Front wall: with panorama window and permanent ventilation. With interior window cover.

Side walls: with transparent film window, side door with mosquito net

Roof: with additional aluminium tensioning roof pole, which augments the tent's performance

Material: high-quality HydraDore® SL Pro outer material with UV protection, ensures

Partial Tent Lynx 200

Dim. (WxHxD): 200x245x235 cm; Pack size: 115x27x27 cm; Weight: 9.75 kg

075/425 449.95

that the tent is extremely tear-resistant and quick-drying.

Poles: Airtube technology (AES); 1 aluminium roof tensioning pole

Scope of delivery: 1 storm aluminium roof pole, tensioning material, Airtube, mud flap, double action pump, wheel case cover, transport bag, tent

Partial Tent Lynx 240

Dim. (WxHxD): 240x245x235 cm; Pack size: 115x28x28 cm; Weight: 11.2 kg

075/426 469.95

completely.

Spacer Set

Accessories

Spacer to compensate for uneven grounds.

Content: 4 pieces; Dim. (Hxø): 3 x 16 cm;

Weight: 2.4 kg 075/463 12.95

Electric Air Pump

You no longer have to pump by hand as the electric compressor with 12 V connection and pressure indicator inflates your tent in no time. Equipped with a digital manometer for pressure indication in PSI or bar.

Dim. (WxHxD): 27x19x17 cm; Weight: 2.3 kg


075/464 139.00 Pressure Poles (Pair) 070/319 29.95

Frankana Freiko®









Accessories



29.95

large front windows with an excellent panorama view

Airtube

100 % PES polyester, UV-resistant PU coating on the outside

Dorado XL





Pressure Poles (Pair)

Pressure pole set with pad to press the awning against the vehicle wall. Suitable for Gemini, Dorado, Omega and Lynx. **070/319 29.95**

The Dorado XL inflatable awning is the perfect travel companion for your caravan. Thanks to its modified front air tube shape, you can optimally use the space. This allows full use of the floor space and optimum headroom in the entire roof area. The single air tube system ensures that the tent is quickly set up so that you can start your holiday in a relaxed fashion.

Front wall: with generous window front for optimal panoramic view. Windows can be rolled up or put up to form a canopy.

Side walls: with two additional door gauze seg-

Material: HydraDore® SL Pro

Poles: air tubes (AES)

Scope of delivery: tensioning material, Airtube, pressure pad, mud flap, air pump, wheel case

cover, transport bag, tent

3000 mm

Dim. (WxHxD): 375x240x250 cm; Pack size: 113x28x25 cm; Weight: 11 kg

075/624 479.95





quick to set up thanks to the Advanced Air System




Pitching poles for tensioning canvas awnings. For Hydra and Dorado XL.

070/318 19.95

Information

HydraDore® SL Pro



The warp and weft are reinforced, making this special fabric much stronger than conventional polyester fabric. It has improved properties in terms of tear resistance and UV resistance.

Thanks to the special UV finish, this material is especially weather-resistant and durable.











HydroTech® CottonTouch

HydroTech® CottonTouch is a particularly high-quality and extremely easy-to-clean spinneret coloured material with a polyurethane coating on the outside and inside. It not only offers a very high-quality feel, but also outstanding UV resistance.

HydroTech® CottonTouch is also characterised by its durability and was specially developed for use and requirements in the caravanning sector.

Compared to cotton blend fabrics, it retains its shape at all times, even in changing weather and temperature conditions.

Airtube

100 % PES polyester, double-sided PU coating

Vega 2.0



The inflatable awning Vega is perfect for those who travel a lot and change location often as it can be set up and taken down quickly. Thanks to the tent depth of 250 cm, the inside of the tent is very spacious. The air tubes are designed in such a way that you can stand upright and can optimally use the space. The large panorama windows create a great sense of space. Thanks to the included gauze element, it is perfect for warm weather, because it provides shade, insects stay outside and you can enjoy a pleasant temperature inside the tent. The new model is additionally equipped with a connection for the sun canopy Canopy Shady Pro.

Scope of delivery: 2 pressure poles, 2 transport bags, tensioning material, Airtube, mud flap, air pump, wheel case cover, tent

Material: HydroTech® CottonTouch

Poles: Airtube (AAS)

6000 mm

Partial Tent Vega 2.0

Dim. (W x D)	Mounting height	Weight	Item no.	Price
330 x 250 cm	230 – 255 cm	30 kg	075/775	1,299.00
375 x 250 cm	230 – 255 cm	31.4 kg	075/777	1,399.00
Dim. (WxD)	Mounting height	Weight		Price
330 x 250 cm	255 – 285 cm	30.6 kg	075/776	1,449.00
375 x 250 cm	255 – 285 cm	32 kg	075/778	1,499.00
	330 x 250 cm 375 x 250 cm Dim. (W x D) 330 x 250 cm	330 x 250 cm 230 – 255 cm 375 x 250 cm 230 – 255 cm Dim. (W x D) Mounting height 330 x 250 cm 255 – 285 cm	330x250 cm 230 – 255 cm 30 kg 375x250 cm 230 – 255 cm 31.4 kg Dim. (WxD) Mounting height Weight 330x250 cm 255 – 285 cm 30.6 kg	330x250 cm 230 – 255 cm 30 kg 075/775 375x250 cm 230 – 255 cm 31.4 kg 075/777 Dim. (WxD) Mounting height Weight Item no. 330x250 cm 255 – 285 cm 30.6 kg 075/776

Extension Eris Premium

Scope of delivery: tensioning material, Airtube, roof pole, mosquito net, transport bag, tent

Colour: grey; Dim. (WxHxD): 160x210x160 cm; Pack size: 95 x 30 x 30 cm; Weight: 11 kg

> 075/789 699.95

Universal Extension

Dim. (WxHxD): 220x165x200 cm; Pack size: 81 x 23 x 23 cm; Weight: 7.7 kg

075/415 389.00

Universal Inner Tent

Dim. (WxHxD): 160x210x160 cm: Pack size: 54 x 17.5 x 17.5 cm; Weight: 2.2 kg

Sleeping Cabin for Universal Extension

Dim. (WxHxD): 180x160x200 cm: Pack size: 52 x 29 x 7 cm; Weight: 1.5 kg

> 075/416 69.95

Veranda Pole 075/606 24.95

Sun Canopy Canopy Shady Pro

from	model	2023	onwards!)

vveignt	item no.	Price
6.3 kg	075/741	219.00
6.6 kg	075/742	229.00
Weight		Price
6 3 1		
6.3 kg	075/741	219.00

Frankana Freiko







comfortable interior with carpet



incl. curtains

Accessories





100 % PVC polyvinyl chloride

The perfect addition to your caravan!

Friesland

You will find additional accessories from page 90 on.





The partial tent Friesland is equipped with hemstitches and storm retainer strips under all windows. With permanent top ventilation (can be closed at the side, always open at the front) and special piping to accommodate the screwless retaining brackets (brackets not included). With double draught skirt and storm strap clip on the right and left. A piping, with which an optional sun canopy can be attached, is sewn to the roof overhang on each side. The tent sizes 01 - 04 are available with a central or with a left-hand piping rail.

Front wall: two pieces, interchangeable, can be folded down to form a veranda. The entrance can be rolled up and away. With canopy, windows and curtains.

Side walls: with gauze windows incl. clear and dark cover. With doors (can be rolled away to the side); veranda effect possible. Interchangeable.

Material: 100 % PVC polyvinyl chloride

Poles: ø 25 mm steel

Scope of delivery: ø 25 mm steel poles, tensioning material, mud flap, curtains, transport bag, tent

Sun Canopy Friesland

The sun canopy for the partial tent Friesland is pulled into the piping rail on the caravan and connected to the side of the partial tent by means of a double piping. The sun canopy is attached to the front of the pole (ø 22 mm steel, telescopic 125 - 205 cm). Material: 100 % PVC polyvinyl chloride: Width: 260 cm: Pack size: 119x32x22 cm: Weight: 4 kg 075/642 189.95

No Screw Brackets

For attaching roof hook poles. Suitable for all awnings with special double pipings (e.g. the models Feldberg and Rhön). Drilling of eyelets is not necessary. Content: 2 pieces

610/221 16.90

Alignment: left-hand

Size	Dim. (WxD)	Weight		Price
01L	300 x 240 cm	51 kg	075/638	1,469.00
02L	350 x 240 cm	53 kg	075/639	1,599.00
03L	400 x 240 cm	55 kg	075/640	1,719.00
04L	450 x 240 cm	57 kg	075/641	1,839.00

Alignment: centre

Size	Dim. (WxD)	Weight		Price
01	300 x 240 cm	51 kg	075/634	1,469.00
02	350 x 240 cm	53 kg	075/635	1,599.00
03	400 x 240 cm	55 kg	075/636	1,719.00
04	450 x 240 cm	57 kg	075/637	1,839.00



Steel

100 % PES polyester

Tessin





You love camping in winter and need an entrance gateway for your winter sports equipment? Then Tessin is exactly what you have been looking for! You will be fascinated by the robust materials as well as its excellent workmanship. Look forward to your next skiing holidays. Roof, front and side walls are made of a double-coated, washable polyester fabric. The rear tent height is adjustable with guy ropes.

Front wall and side walls: outer mud flaps with eyelets at the important points. Side entrance with high, arched zip.

Front wall: with large windows and curtains. Tensioning triangles integrated into the front wall.

Material: 100 % polyester

Poles: ø 25 mm steel

Scope of delivery: tensioning material, pressure pad, pressure poles, pressure beads, curtains, no-screw brackets, poles, transport bag, tent

Size	Dim. (WxD)	Weight		Price
200	200 x 150 cm	19 kg	075/030	648.00
225	225 x 180 cm	21 kg	075/031	729.00
275	275 x 180 cm	23 kg	075/032	821.00





Incl. poles and curtains.



Expand your living space in front of or behind your van or motorhome.

Van awnings are suitable for beginners. Usually without a solid floor and equipped with a low hydrostatic head, they are ideal for your summer holiday. Van awnings with air tubes and an inner floor offer a modern solution. Thanks to their high hydrostatic head and good ventilation, they are also ideal for use in autumn, at the seaside or in northern holiday destinations.

Most van awnings are freestanding and have the option of pulling in a rear wall so that the van awning can be completely closed. This means that you can explore your holiday destination in your vehicle during the day and leave your camping equipment such as chairs, tables and barbecue in your van awning at the campsite.

Rear tents for vans

With a rear tent, you gain a lot of usable space with headroom, right next to your vehicle. Use it for showering, changing, cooking or sleeping or simply as storage space for bicycles. The ideal solution for anyone who needs extra space quickly or has limited space on the campsite next to or behind the vehicle

Partial tents

Van & motorhome

Partial tent motorhome



Rear tent



Rear tent



Partial tent van/motorhome



Partial tent van



Partial tent van





without poles

100 % PES polyester

Pilote

BRUNER >

The specially designed frameless tailgate tent is attached to the tailgate of the VW Caddy. Ideal for creating additional space at the rear of the vehicle and gaining a little more freedom of movement inside. Quick and easy to attach. A large entrance door allows good ventilation and a pleasant interior climate. With fixing material and carry bag. Pitching poles are optionally available.

Material: 100 % polyester

Scope of delivery: tensioning material, trans-

port bag, tent

VW Caddy IV, all models, 06/2015 – 02/2020

Dim. (WxHxD): 135x200x135 cm; Pack size: 45.5x18x17 cm; Weight: 2.1 kg

075/381 119.90

VW Caddy V, all models, 2020 – ...

Dim. (WxHxD): 135x200x135 cm; Pack size: 50x12x12 cm; Weight: 2.5 kg

072/391 139.90



VW Caddy V, 2020 - ...

52



Steel

100 % PES polyester, with PU coating

Comet VW T5/T6



Easy installation, frameless construction and a highly compact pack size make the Comet tailgate tent the perfect choice for all VW T5/T6 owners. It creates additional space at the rear where you can store bicycles, cook, or sleep.

Put the Comet across your VW's tailgate. No frame necessary. Two large entrance doors ensure great air circulation and a pleasant indoor climate.

Material: 150D Oxford polyester PU

Poles: 2 pitching poles ø 16 mm steel, 195 cm.

Scope of delivery: 2 pitching poles, tensioning material, transport bag, tent

Dim. (WxHxD): 200x205x200 cm; Pack size: 66x20x19 cm; Weight: 5.1 kg

> 075/195 179.90



















Airtube, GRP Fibreglass





Cruiser Air





The freestanding, inflatable rear tent fits almost all estate cars, SUVs and minivans. Equipped with AirTube system (2 main tubes and storm tube) for quick and easy setup. The tent can be easily separated from the car without having to take it down. Offers enough space for 4 people and has a large, closable mesh window for optimal ventilation. There is a mesh door on each side. The sewn-on groundsheet ensures that dirt and water stay outside. Mounting height: 200 cm.

Material: 150D Oxford 100 % polyester

Poles: Ø 10 cm air tubes, Ø 9.5 mm GRP fibreglass for canopy arch.

Scope of delivery: Ø 9.5 mm GRP poles, tensioning material, Airtube, air pump, transport bag, tent

Dim. (WxHxD): 230x205x280 cm; Pack size: 74x36x36 cm; Weight: 10.9 kg


075/539 499.00





setup video






For almost all estate cars, SUVs and minivans.



Steel

100 % PES polyester










Escape




Front wall: can be rolled up completely, with large gauze window (closable with tinted film, blackout inside). Can be opened out as a sun canopy, 2 pitching poles included.

Side walls: can be fixed to the vehicle, can be tensioned tightly at the bottom. Right and left with tinted window, inside with blackout.

Material: 150D Oxford polyester

Scope of delivery: 2 pitching poles, tensioning material, transport bag, tent

Dim. (WxHxD): 200x195x200 cm; Pack size: 63x18x18 cm; Weight: 4.5 kg 072/392 179.90





GRP Fibreglass, Steel

100 % PES polyester

Travel Extra





Van awning with taped seams on the inside and a mud flap on the outside. Depth bracing of the tent via 2 horizontal telescopic poles that are positioned under the roof.

Front wall: with two large panorama windows. Windows can be closed via sewn-in curtains. Entrance door with stable door effect can be rolled away to the side.

Side walls: with one large ventilation window each (1/2 gauze, 1/2 clear foil) with opaque fabric flap; can be closed via zip.

Rear wall: can be opened in two widths. Broad connector that is attached to the vehicle via connecting pole (standard).

Material: 68D polyester fabric, PU-coated.

Dim. (WxD): 340x240 cm;

Pack size: 79x27x20 cm; Weight: 15 kg

070/001 375.00 Poles: ø 12.7 mm GRP poles with two telescopic roof poles ø 19 mm steel and a steel connecting pole.

Scope of delivery: tensioning material, bag for poles, poles, transport bag, tent



3000 mm





Groundsheet Travel Extra

The awning groundsheet for Travel Extra protects against insects and reduces the formation of condensed water. Dim. (LxW): 230x220 cm; Pack size: 63 x 18.5 x 3 cm; Weight: 1.4 kg

070/007 39.95

The perfect addition to the Travel Extra.

65.00

Sleeping Cabin Travel Extra

The sleeping cabin is the ideal bedroom for

your children or guests. Dim. (WxD): 140 x 200 cm; Pack size: 43 x 31 x 10 cm Weight: 1.4 kg



65.00 070/003

Frankana Freika



GRP Fibreglass, Steel

100 % PES polyester, with PU coating







Pisa

L' Euro Trail

Pisa is the ideal awning for weekends and short trips. The light partial tent is attached to vans and only has one arch pole. It is simply attached to the van using a roof pole and buckle (included). It can also be attached to the roof rail with Velcro tape and to the Multirail with Ø 7 mm piping.

Front wall: partly and completely removable, with canopy that protects against rain, window with transparent film and cover.

Side walls: removable, each one with one window with transparent film and cover.

Material: 185T polyester, all seams covered with tape.

Poles: Ø 12.7 mm fibreglass and Ø 19 mm steel

Dim. (WxHxD): 270x200x200 cm; Pack size: 71x25x24 cm; Weight: 7.8 kg

075/061 389.00

Scope of delivery: Ø 12.7 mm GRP poles, tensioning material, roof pole, transport bag, tent



robust GRP/steel poles



window with cover

Set up without a rear wall with only one arch!





Aluminium

100 % PES polyester

Lakecrest

Outwell

The freestanding awning requires little space and is very compact and light. With two light aluminium arch poles, the awning is set up in a few easy steps. The raised groundsheet, which is attached to the awning wall with Velcro, can also be removed completely. This can reduce the pack size and weight even further. Several mesh windows with zip-up curtains allow good ventilation. There are opposite side entrances in the connector area for easy access to the van and the awning.

Front wall: can be opened completely. With mosquito net window and tinted foil window.

Side walls: mesh windows with weatherproof curtains.

Rear wall: can be opened and closed completely.

Material: flysheet: Outtex® 3000 Select, 100 % polyester; groundsheet: coated on both sides, waterproof, 100 % polyethylene

Poles: ø 13 mm anodised aluminium





Scope of delivery: tensioning material, aluminium poles, groundsheet, tent

Dim. (WxHxD): 320x210x160 cm; Pack size: 76.5x41x30.5 cm; Weight: 11.1 kg 075/500 779.95







freestanding



Tent depth: 400 cm | 540 cm Mounting height: 180 - 210 cm

> Advantages Integrated groundsheet Connecting tunnel to the vehicle 3 connection possibilities

Can also be used without a vehicle







Airtube

Oxford Polyester

Oak Creek 400 | 500 AIR LEUro Trail

Spacious inflatable tunnel tent that is set up parallel to the van. The tent has a large living area with a fixed groundsheet and offers sufficient space for a table, chairs and other camping equipment. The connecting tunnel has a door on both sides and can be attached to the van in various ways: detachable piping 7.5 + 4 mm, with roof pole or with Velcro fastening to the roof rails. Incl. pump, inner tent, groundsheet and pegs. With size 500, you can move the front wall forwards to extend the interior space.

5000 mm

Front/side walls: with large windows with cover; each with door incl. mosquito net

Roof: with extra-high water column of > 5000 mm; UV-resistant and resistant to heavy rain, with 80 cm canopy

Material: 190T polyester PU (walls); 210D

Ripstop polyester PU (roof)

Poles: Airtube (ø 10 cm)

Scope of delivery: tensioning material, inner tent, air pump, groundsheet

Van Awning Oak Creek 400 AIR

Dim. (WxHxD): 310x210x400 cm;

Pack size: 80x40x38 cm; Weight: 21 kg

1.499.00 075/815

Van Awning Oak Creek 500 AIR

Dim. (WxHxD): 310x210x540 cm; Pack size: 80x45x44 cm; Weight: 25.5 kg

1.699.00

075/816







Hydra







The inflatable awning Hydra for vans or motorhomes offers optimum use of space thanks to its modified front air tube shape. You can fully use the floor space and have headroom in the entire roof area. A removable connector (not included in delivery) makes it easy to set up and take down the tent. Another advantage is that a low weight has to be pulled into the awning. Thanks to the air tube system, the air chambers are inflated in a short time. The supplied groundsheet offers maximum flexibility and can be attached to the awning with Velcro. With the help of the optionally available Drive-Away-Kit (610/262), the partial tent becomes freestanding and can be left at the campsite.

Front wall and side walls with windows and ventilation flaps for perfect ventilation. Front door with panorama window and sun canopy function.

Material: high-quality HydraDore® SL Pro outer fabric with UV finish provides increased tear resistance and is particularly quick-drying.

Poles: air tubes (AES)

Scope of delivery: tensioning material, Airtube, air pump, groundsheet, transport bag, tent



panorama window



ventilation flaps

Dim. (WxHxD): 300x180x240 cm; Pack size: 103 x 31 x 30 cm; Weight: 13 kg

075/625 599.00

Connection Set Drive Away Kit

The universal Drive Away Kit with triple piping (7/7 mm or 5/7 mm) serves as a detachable connection between the vehicle and the awning. The piping tape is threaded into the piping rail of the vehicle 610/262

Connector Hydra

The functional connector is available in three connection heights and connects the partial tent Hydra to your vehicle. The connector is attached to the tent via a zip fastener and to your motorhome via a piping.



Mounting			
height	Weight		Price
180 – 210 cm	3.9 kg	075/626	99.95
210 – 240 cm	4.5 kg	075/627	109.95
240 – 270 cm	5.1 kg	075/628	119.95



100 % PES polyester, with PU coating

Quick'n Easy Air





A small pack size and ease of use characterise this awning, as does the impeccable price-performance ratio. The freestanding van awning is suitable for nearly all vans thanks to a sewn-in connector. Due to its low weight and various ventilation possibilities, the partial tent is the perfect companion for your next holiday.

Front wall: can be rolled up, with window as well as closable gauze window insert for great air circulation.

Side walls: with one window and one window cover each.

Rear wall: with one door.

Connector: the sewn-on connection between partial tent and van. Double piping 4 mm/6 mm. Connection to the vehicle with detachable piping, as well as a zip across the van with two tensioning straps. With door, can be rolled up.

Material: Weathertex polyester fabric, PU-coated



Poles: Airtube

Scope of delivery: tensioning material, Airtube, air pump, transport bag, tent

Dim. (WxHxD): 265x210x350 cm; Pack size: 79x36x35 cm; Weight: 13 kg

Mounting height		Price
180 – 210 cm	075/183	719.00
240 – 270 cm	075/403	739.00



Roof Lining Quick'n Easy

The roof lining for your partial tent Quick'n Easy Air creates a comfortable living environment and reduces the formation of condensed water.

Material: 35 % cotton, 65 % polyester

075/190 31.00



Airtube, GRP Fibreglass

100 % PES polyester







4000 mm

Newburg 160 Air

The freestanding van awning Newburg 160 Air has a connector with two entrances – ideal for access in bad weather. The awning can be quickly and easily attached to vans using a double piping (5 and 7 mm). The door under the front canopy can be rolled completely to the side. A separate mosquito net door protects against annoying insects. Equipped with Outwell heavy-duty zips, a sewn-on groundsheet and a tarpaulin for the connector with integrated mud flap. The HookTrack system offers versatile options for hanging up lamps and other items weighing up to 1.5 kg.

Front wall: vertical for optimum living space. Can be fully opened with double zip. Flat folding front door with mosquito net. Large canopy offers protection against rain.


Side walls: with large windows that can be completely closed.

Material: flysheet: Outtex® 3000/4000 Select,

100 % polyester; groundsheet: coated on both sides, waterproof, 100 % polyethylene

Poles: air tubes (Rigid Air System); ø 8.5 mm fibreglass (canopy)

Dim. (WxHxD): 260x210x160 cm; Pack size: 80x43x40.5 cm; Weight: 16.5 kg 075/591 899.95







rear wall

Outwell

groundsheet

Frankana Freiko°



Airtube, GRP Fibreglass

100 % PES polyester

You will find additional accessories from page 90 on.



San Marino | Portofino Air

4º Euro Trail

Freestanding van awning with a convenient canopy above the entrance. Ventilation options in the tent keep the air inside fresh. The San Marino van awning can be attached to the vehicle with a 7 mm piping, a connecting pole or with Velcro tape on the roof rail. The Portofino RV Air is equipped with a 6+7 piping, which can be detached with a zip.

Front wall: with large panorama window with cover. Entrance door with permanent ventilation. Doors with fly screen.

Poles: Ø 10 cm Airtube, Ø 9.5 mm fibreglass for canopy, Ø 16 mm steel connecting pole

San Marino Air

Mounting height: 180 – 210 cm; Dim. (WxHxD): 300x225x360 cm; Pack size: 82.5x43x35 cm; Weight: 21.5 kg

075/379 999.00

Material: roof: 210D polyester (hydrostatic head 5000 mm); wall: 185T polyester (hydrostatic head 3000 mm); groundsheet: 100 % PE polyethylene.

Scope of delivery: Ø 16 mm steel connecting pole, Ø 9.5 mm GRP poles, tensioning material, Airtube, double action pump, groundsheet, transport bag, tent

Portofino Air


Mounting height: 240 – 290 cm; Dim. (WxHxD): 300x225x360 cm; Pack size: 79.5x43x36 cm; Weight: 22.9 kg

075/380 999.00









Orion 2.0





The freestanding inflatable awning with AAS system is quick and easy to set up and suitable for vans and motorhomes between 180 and 270 cm. The connector with two doors is available in three sizes and connects the freestanding inflatable awning to your vehicle. It is fastened to the awning via zip and to the vehicle via piping. Alternatively, you can use a connecting pole or tension the connector over the vehicle using guy ropes. The awning has large panorama windows, optimal headroom and a spacious interior. Optional extension: the extension Eris.

Front wall: with door. Can be folded down or removed if required.

Side walls: with mosquito net. Can be folded down or removed if required.

Material: HydroTech® CottonTouch 100 % polyester

Poles: Advanced Air System® (AAS)

Scope of delivery: tensioning material, Airtube, air pump, front pole (ø 19 mm aluminium), transport bag, tent

Please order the connector separately!





Dim. (WxHxD): 300x220x250 cm; Pack size: 100x36x35 cm; Weight: 26 kg

075/784 1,149.00



Extension Eris Premium (see page 94)

Dim. (WxHxD): 210x180x180 cm Pack size: 95x30x30 cm; Weight: 11 kg

NEW 075/789 699.95

Connector Orion NEW

The functional connector connects the freestanding van awning Orion to your vehicle. The connector is fastened to the awning via zip and to the motorhome via piping.

Mounting			
height	Weight		Price
180 – 210 cm	5 kg	075/785	199.95
210 – 240 cm	5 kg	075/786	219.95
240 – 270 cm	5 kg	075/787	229.95

Tent Carpet Orion

The optional carpet for the Orion tent is connected to the tent with a velcro fastener. The carpet also seals the Orion awning from below. Dim. (LxW): 250x300 cm; Weight: 8 kg

075/750 129.95



100 % PES polyester, with PU coating

Quick'n Easy Luxus Air



A small pack size and ease of use characterise this awning, as does the impeccable price-performance ratio. With the matching connector, the freestanding motorhome awning is suitable for nearly all vehicles. Please order the connector separately!

Front wall: can be rolled up or detached; with gauze window and window cover.

Side walls: can be rolled up, with one window and one window cover each.

Rear wall: can be closed.

Material: KlimaTex polyester fabric, PU-coated.

Poles: Airtube



Dim. (WxHxD): 300x210x250 cm; Pack size: 76x44x42 cm; Weight: 24 kg

075/184 1,149.00

Scope of delivery: tensioning material, Airtube, air pump, transport bag, tent







Connector Quick'n Easy Luxus Air

The Quick'n Easy connector provides a clean and dry connection to your recreational vehicle. It is equipped with a double piping and can be attached via zip. A door can be found on either side of the connector.

Mounting			
height	Weight		Price
210 – 240 cm	250 g	075/185	215.00
240 – 270 cm	250 g	075/186	230.00



100 % PES polyester, double-sided PU coating



Triton







The freestanding tent can be used without a vehicle or you can attach it to various vehicles and caravans with the optionally attachable connectors. Two side walls are equipped with tinted windows, gauze and blackout blinds, while two other walls are equipped with tinted windows and blackout blinds. Thanks to its size of 300 x 300 cm and a roof height of 235 cm, the tent is spacious and you can stand upright inside. The side wall windows can be removed to turn the tent into a pavilion. Thanks to the AAS system, the tent is quick to set up. Incl. groundsheet. The universal inner tent by Westfield can optionally be attached. Triton is available with three different mounting heights.

Side walls: with large, tinted windows that can be removed completely if necessary.

Material: HydroTech® Ripstop 100 % polyester

Poles: Advanced Air System® (AAS)

Dim. (WxHxD): 300x235x300 cm; Pack size: 100x35x35 cm; Weight: 26.7 kg

075/732 1,149.00



from 159.95



Dim. (WxHxD): 160x210x160 cm; Pack size: 54x17.5x17.5 cm; Weight: 2.2 kg **075/760 99.95**

073/700

Extension Eris


Dim. (WxHxD): 210x180x180 cm;

Pack size: 80.5 x 28 x 26.5 cm; Weight: 10.5 kg

075/622 629.95

Connector Triton

The functional connector connects the freestanding inflatable pavilion tent Triton to your vehicle. The connector is fastened via zip.







100 % PES polyester, double-sided PU coating

Mars





Start your holiday with the inflatable awning Mars with a depth of 250 cm. It fits perfectly and has the perfect width for your van. All window/door segments can be removed completely in a short time so that there are no barriers and you have a convenient sun canopy. The double mud flap and the permanent ventilation through the top ventilation make the van awning even more convenient.

Front wall: with two tinted window segments that can be folded down if required.

Side walls: each with a door and a tinted window gauze segment. These can also be interchanged if required.

Material: HydroTech Ripstop with polyurethane coating

Poles: air tubes (AAS)

Dim. (WxHxD): 330x245x250 cm;

Pack size: 101.5x48.5x31.5 cm; Weight: 21 kg

075/618 1,299.00

Scope of delivery: tensioning material, Airtube, air pump, pressure strip system, transport bag, tent





large panorama windows comfortable headroom





Universal Inner Tent

Dim. (WxHxD): 160x210x160 cm; Pack size: 54x17.5x17.5 cm; Weight: 2.2 kg **075/760 99.95**

Universal Extension

Dim. (WxHxD): 220x165x200 cm; Pack size: 81x23x23 cm; Weight: 7.7 kg

075/415 389.00

Sleeping Cabin for Universal Extension

Dim. (WxHxD): 180x160x200 cm; Pack size: 52x29x7 cm; Weight: 1.5 kg

075/416 69.95

Extension Eris

Dim. (WxHxD): 210x180x180 cm;

Pack size: 80.5 x 28 x 26.5 cm; Weight: 10.5 kg

075/622 629.95

Veranda Pole 075/606 24.95





Airtube, Steel

100 % PES polyester

Journeymaster Deluxe L



The Journeymaster Deluxe L is a spacious awning with BlackOut Bedroom™ sleeping cabins – the perfect companion for your next trip with your van. The awning is guick and easy to pitch thanks to its pre-assembled steel poles and air tubes, making it well-suited for a road trip with many stops. The integrated large windows let in light, but at the same time, the sleeping cabins equipped with Black-Out Bedroom™ technology guarantee a restful sleep. Thanks to this technology, up to 99 % of daylight is kept out of the sleeping areas.

Front and side walls: with large panorama windows and entrance doors

Material: 100 % coated polyester. Groundsheet: PE polyethylene, sewn-in

Poles: air tubes, steel

Scope of delivery: tensioning material, Airtube, air pump, repair kit, transport bag, tent







Dim. (WxHxD): 240x200x515 cm; Pack size: 58 x 21 x 18 cm; Weight: 26 kg 075/669 1,299.00









100 % PES polyester, double-sided PU coating

Neptune 2.0





The Neptune is an inflatable awning specially developed for motorhomes. Due to the four different connectors that can be combined with the Neptune, the attachment height varies from 240 - 320 cm. The special feature of this inflatable awning is the extra-high roof, which makes it possible to open the vehicle door without any problems. The Neptune is equipped with large panorama windows.

Front wall: with door. Can be removed if necessary.

Side walls: with mosquito net. Can be folded down or removed if necessary.

Poles: Airtube

Scope of delivery: tensioning material, roof pole, air pump, tent

Dim. (WxHxD): 400x220x250 cm; Pack size: 115 x 35 x 35 cm; Weight: 31.5 kg

075/779 1,679.00

Universal Inner Tent

This freestanding inner tent is suitable for all Westfield TQC awnings. It is equipped with a groundsheet, mesh for ventilation and an entrance door. With the help of the two fibreglass poles, it can be pitched very quickly and easily and can be positioned freely in the awning. Dim. (WxHxD): 160 x 210 x 160 cm; Pack size: 54 x 17.5 x 17.5 cm; 075/760 Weight: 2.2 kg 99.95

Tent Carpet Neptune

The optional floor for the inflatable awning Neptune is attached via a Velcro fastener. It is divided into two parts, so that you can remove it from the connector area if necessary.

> 075/723 159.95





from 269.00



Connector Neptune 2.0

There are four different connectors for the inflatable awning Neptune. They are suitable for an attachment height of 240 cm to 320 cm, which is why there is a suitable connector for most campers and even for liner motorhomes.

Mounting			
height	Weight		Price
240 – 260 cm	4.8 kg	075/780	269.00
260 – 280 cm	4.9 kg	075/781	279.00
280 – 300 cm	5 kg	075/782	289.00
300 – 320 cm	5.1 kg	075/783	299.00



Airtube, Aluminium

100 % PES polyester, double-sided PU coating

Zodiac







5000 mm

The inflatable awning Zodiac is suitable for vans and motorhomes from 180 to 270 cm. With a weight of just 17.3 kg and a particularly small pack size, it is very easy to transport. Thanks to the two air tubes and three aluminium roof poles, the Zodiac can also be set up very quickly. The functional connector, which is available in three sizes, connects the freestanding inflatable awning to the vehicle. The connector is attached to the tent with a zip and to the vehicle with a piping. Alternatively, a connecting pole can be used or the connector can be tensioned over the vehicle using guy ropes. For maximum flexibility, there are two entrance doors in the connector that allow direct access to the vehicle. The Zodiac is equipped with large panorama windows, a door in the front wall and two side walls with mosquito nets.

Front wall and side walls: with windows and ventilation flaps for perfect ventilation. Can be folded down or removed if required.

Material: high-quality 150 D material

Poles: air tubes (AES)

Scope of delivery: tensioning material, Airtube, air pump, groundsheet, transport bag, tent



Dim. (WxHxD): 300x180x220 cm; Pack size: 100x36x35 cm; Weight: 17.3 kg

075/673

699.00

from 139.95

NEW



Connector Zodiac

The functional connector is available in three mounting heights and connects the van awning Zodiac to your vehicle. The connector is attached to the tent via a zip fastener and to your motorhome via a piping.

Mounting			
height	Weight		Price
180 – 210 cm	3 kg	075/674	139.95
210 - 240 cm	3.2 kg	075/675	149.95
240 – 270 cm	3.5 kg	075/676	159.95



Tent depth: 320 cm

Mounting height: 180 - 270 cm

Advantages **Spacious interior** Can be used without a vehicle

Quick to set up

Airtube

100 % PES polyester, double-sided PU coating

Very spacious inside — can be used

Aquila Pro freestanding











The freestanding inflatable tent Aquila Pro provides a lot of extra space for campers and van campers. Both the connector and the optional sun canopy can be attached on the left or on the right and the front wall can also be used in two different places. Without a vehicle, the Aquila Pro can be used as a family tent. The tent is very spacious inside and can be used in a variety of ways – be it for additional sleeping spaces or as a large awning/tent. Since the tent is attached to the side of your vehicle, you overall do not need a lot of space for your vehicle and tent. The built-in AAS system ensures that you can set up the tent very quickly. The Aquila Pro inflatable awning is also equipped with high-quality HydroTech® Ripstop material. A groundsheet is optionally available.

Front wall: can be used in two different places.

Material: HydroTech® Ripstop 100 % polyester

Poles: Advanced Air System® (AAS)

Dim. (WxHxD): 490x215x320 cm; Pack size: 100 x 47 x 44 cm; Weight: 38.5 kg

075/728 1.799.00 Please order the connector separately.

Connector Aquila Pro

The functional connector connects the freestanding inflatable tent Aquila to your vehicle. It can be attached either on the left or on the right.

Mounting			
height	Weight		Price
180 – 210 cm	2.4 kg	075/729	154.95
210 – 240 cm	2.5 kg	075/730	169.95
240 – 270 cm	2.6 kg	075/731	184.95

Sun Canopy Aquila Pro

The sun canopy also protects against rain and can be used on either side of the tent. Weight: 1.6 kg 075/752 49.95

Sleeping Cabin Aguila Pro Family

Dim. (WxHxD): 300x200x220 cm Pack size: 57 x 28.5 x 11 cm; Weight: 5 kg

075/754 109.95

Tent Carpet Aquila Pro Family

The optional floor for the inflatable awning Aguila Pro is attached via a Velcro fastener. It is divided into two parts, so that you can remove it from the entrance area if necessary. Dim. (W x D): 460 x 320 cm and 100 x 320 cm. Pack size: 61 x 17 x 17 cm; Weight: 15 kg 075/753

169.95

Extension Eris

Dim. (WxHxD): 210x180x180 cm; Pack size: 80.5 x 28 x 26.5 cm; Weight: 10.5 kg 629.95 075/622



Steel

100 % PVC polyvinyl chloride

Garmisch





The freestanding, all-season tent is suitable for motorhomes with a maximum door height of 280 cm and perfect for use during winter. It offers 3.24 m² of space for your ski equipment or bikes.

Side walls: equipped with one entrance door each

Roof: tensioned over the motorhome with the aid of a 60 cm long overhanging strap and is connected to the vehicle on the long side via a fabric tunnel.

Rear wall: with two zips for variable access. Can be detached completely or rolled up. Moreover, two foam pads can be attached to the rear wall with strips.

Material: roof coated with PVC on both sides, washable; tent walls TenCate, light- and tear-proof, waterproof and lightweight, approx. 190 g/m².

Poles: \emptyset 25 mm steel poles with bent middle pole.



connection to the motorhome



ventilation

Scope of delivery: Ø 25 mm steel poles, curtains, tent

Dim. (WxD): 180x180 cm;

Pack size: 118x40x40 cm; Weight: 30 kg

075/141

899.95

rear wall can be unrolled as a windbreak






Would you rather sleep under the stars than in a hotel?

Would you like to be flexible when travelling and spontaneously escape the hustle and bustle of everyday life by car? For you, an overnight stay should be possible in almost any car park, at least in some countries?

Then comfortably sleeping in a roof tent on the roof of your car is just the thing for you.

The roof tents in our range can be attached to almost any vehicle (car, pick-up, mini-van, van, trailer). Only two cross struts are required as load carriers. Our range includes an inflatable roof tent with an extremely low weight and a small pack size. We also offer two pop-up roof tents with a manual mechanism or with remote control and electric operation. These also have a low weight and a small pack size. Thanks to their sophisticated design, they can be set up quickly and easily. The roof tents also offer enough space for single travellers, couples and families with small children.

Roof tents Be close to the sky!





from 2,090.00

Moonlight **Tent**



Interior height: 107 cm

<u>Advantages</u> Available in 2 sizes All-round mosquito nets Compatible with wall awnings





Aluminium

100 % polycotton

Moonlight Tent

home is everywhere The roof tent for minivans and SUVs is ideal for a holiday in the middle of nature. The tent is attached

on the roof rails, which must have a minimum load capacity of 75 kg and a usable width of at least 78 cm. The roof tent can be folded up quickly and easily and can also be used together with a wall awning. Version 140 offers space for 2 people, version 180 for 3 people. Both are equipped with fly screens and blackout blinds on all four sides, a rain cover, windows and YKK zips. The base consists of an aluminium plate with a honeycomb structure and the integrated mattress is 5 cm thick and consists of two types of foam with different thicknesses. You can easily reach the roof tent using the 2.30 m. aluminium ladder (max. load capacity 150 kg). The waterproof cover protects against rain and the internal LED strip with adjustable light intensity provides suitable lighting. You can store your accessories neatly in the pockets.

The optional Privacy Moonlight Tent (075/810 or 075/811) provides even more privacy if required.

Version 140

Colour: brown, grey; Material: 100 % polycotton; Dim. (WxHxD): 140x120x240 cm; Pack size: 148 x 130 x 27 cm; Weight: 54 kg

> 075/808 2.090.00

Version 180

Colour: brown, grey; Material: 100 % polycotton; Dim. (WxHxD): 180x120x240 cm; Pack size: 184 x 130 x 27 cm; Weight: 62 kg

075/809

2.448.00

Changing Room Privacy Moonlight Tent

The awning serves as a multi-purpose changing room, for example, and provides even more privacy as an addition to the roof tent Moonlight Tent. Suitable for vans and off-road vehicles.

Type: 140

Colour: brown, grey; Material: 100 % polycotton Mounting height: 180 - 220 cm; Width: 140 cm; Pack size: 47 x 45 x 14 cm; Weight: 3.6 kg

> 075/810 480.00

Type: 180

Colour: brown, grey; Material: 100 % polycotton Mounting height: 180 - 220 cm; Width: 180 cm; Pack size: 47 x 45 x 14 cm; Weight: 4.1 kg

> 516.00 075/811



3,015.00

GT Roof

Interior height: 140 cm

2-3

Advantages

Large windows

Incl. telescopic ladder

Robust even in storms

Airtube

100 % polycotton

GT Roof

GENTLE TENT

The GT Roof tent has large windows with mosquito nets on all sides and impresses with a wonderful, airy all-round view. The spacious interior is incredibly comfortable. The enormous room height and the material used give you a luxurious feeling of space and ensure an excellent interior climate without condensation.

The GT Roof impresses with its legendary storm stability and is equipped with a UV-stable outer cover in the roof area. This cover protects against the sun and bad weather and increases the durability of the tent. For very cold temperatures, a further cover for the side parts is included in the scope of delivery.

With a sleeping area of $140 \times 220 \text{ cm}$, there is enough space for 2 - 3 people.

- Fits 99 % of all vehicles
- Weighs only 31 kg
- Minimal pack size
- Two assembly variants with side entry or over
- Quick and easy to set up with the supplied
 12 V pump

Dim. (WxHxD): 330x140x150 cm; Pack size: 150x122x32 cm; Weight: 31 kg

075/617 3,015.00

Scope of delivery: GT Roof 2022, outer cover, assembly set, telescopic ladder, GT SUP electric pump 12 V, guy ropes, tent pegs, repair kit, GT double action hand pump





flat on the roof — saves fuel



setup video



TRT120E



Experience your outdoor adventure even more intensively with the Dometic TRT120E roof tent. The tent is equipped with a 5 cm thick mattress made of high-density foam, which offers enough space for two people. Specially designed for outdoor use, the tent consists of a two-layer construction that is suitable for even the most remote locations in winter. The robust design is additionally reinforced by a waterproof PVC tent cover with UV protection factor UPF 50+ and can withstand almost anything. The double-layered windows with integrated fly screen let plenty of fresh air into the tent while keeping insects out. The frame is made of lightweight aluminium alloy. Setting up the TRT120E is very easy and done in minutes thanks to the 12 V operation and a wireless remote control.

Scope of delivery: roof tent; telescopic alloy ladder; PVC tent cover; RF remote control; 12 V plug with 5 m cable; tool bag with fastening material.

Dim. (WxHxD): 132x115x218 cm;

Pack size: 228 x 142 x 32 cm; Weight: 58.92 kg blue **075/598 2,299.00**

dark green **075/599 2,299.00**



automatic operation



easily set up at the touch of a button

lightweight telescopic aluminium ladder



setup video



76



2,699.00

Yano

Interior height: 130 cm



Advantages Easy to use

Durable, PVC-free tarpaulin Aluminium profile frame

299.00

Aluminium 100 % recycled PET, Oxford Polyester



polyester part made from rPET polyester from plastic bottles



Yano

The Yano roof tent with its low weight of approx. 38 kg leaves nothing to be desired in terms of features. The material is a 180 g/m² recycled Ripstop TC (cotton blend fabric made of 65 % polyester and 35 % cotton). The tent has excellent ventilation and many other well thought-out details, such as a storage pocket for shoes and a window for a view of the starry sky. The roof tent can be attached in a few steps with the help of a roof rack and can thus be mounted independently of the vehicle. A comfortable TPU air mattress, an extension ladder and a protective cover are included. This tent is completely PVC-free and one of the lightest roof tents on the market. Despite the simple construction, it offers a lot of sleeping comfort. Thanks to the patter guard, which you can attach to the tent from the outside in case of rain, you will have a quieter night inside the tent.

Scope of delivery: car roof tent incl. frame, protective cover, shoe box, inflatable mattress with cotton cover (in the tent), telescopic aluminium ladder, patter guard/sun protection, fastening set, assembly instructions.

Colour: brown; Material: with PU coating, 100 % cotton blend fabric; Dim. (LxWxH): 212 x 150 x 147 cm Pack size: 220 x 165 x 42 cm; Weight: 38.5 kg

075/597 2,699.00

Canvas Awning for Yano

The Yano canvas awning is the perfect addition to the roof tent Yano. It offers plenty of space to relax in the shade at warm, sunny places and also protects your equipment when it rains. The canvas awning is fixed to the frame with velcro straps, tensioned with straps and set up variably in height and according to your needs using the pitching poles supplied. This ensures a dry and protected passage to the roof tent and a dry shelter for your meals.

Colour: brown; Material: 100 % recycled PET, Oxford Polyester; Dim. (LxWxH): 370 x 490 x 0.3 cm; Pack size: 97 x 14.5 x 14.5 cm; Weight: 4.7 kg 075/580 299.00

For a shaded space in front of your motorhome, caravan or van!



Sun canopies are perfect for travelling. They are usually easy to assemble with just a few poles. The material and design are decisive for the different uses. There are pure sun canopies that are extremely light but offer no protection from the rain.

The sun canopies can be customised partially or to the entire length of the vehicle. They can be supplemented with side walls or a front wall.

High-quality canopies offer protection from rain and wind. They can be attached wherever there is a piping rail – not just on the entrance side. Vario models fit on vehicles and can also be attached to existing awnings. There is the option of fitting eyelets on the canopy for the awning poles.

Robust materials

Sun canopies are usually made of plastic, which has the advantage that – unlike cotton – it does not rot. In addition, the fabric properties of some of the sun canopies make them very tear-resistant. The transport weight is also very low for sun canopies with side sections and a front wall.

This is an advantage, as the permissible total weight of the vehicle is limited. The vehicle load capacity is a major issue because anyone who exceeds it during traffic checks will pay severe penalties and may receive penalty points.

Sun canopies

A sun canopy makes for an enjoyable holiday!

Functionality and design

When making your choice, it is not just the functionality that is important, but also the look. The colour of the sun canopy should match the vehicle, be it monochrome or multicoloured. Most vehicles already have the right preparation in the form of piping rails.

Due to their design, these rails run at the transition between the vehicle wall and roof, at least on the entrance side or above the windows. The longitudinal opening on the rail profile is then the guide for the sun canopy.







Aluminium

100 % PES polyester, one-sided acrylic coating

Sun Canopy Playa





This versatile sun canopy provides shade and can also be used as a canopy for the gas cylinder box and the drawbar. In addition, it can be used as a carport at the rear of the caravan. The sun canopy is available in grey and blue.

Material: Trailtex polyester fabric coated with acrylate on the outside, water-repellent, easy to clean and tear-proof.

Poles: sizes 1 and 2 with 2 pitching poles; sizes 3 to 6 with 3 pitching poles.

Scope of delivery: Ø 22 mm aluminium poles, tensioning material, sun canopy





Size	Dim. (WxD)	Weight	grey	blue	Price
01	200 x 240 cm	5.5 kg	070/400	070/400-1	136.50
02	250 x 240 cm	6 kg	070/401	070/401-1	144.00
03	300 x 240 cm	7.5 kg	070/402	070/402-1	169.50
04	350 x 240 cm	8 kg	070/403	070/403-1	184.00
05	400 x 240 cm	8.5 kg	070/404	070/404-1	197.00
06	450 x 240 cm	9 kg	070/405	070/405-1	212.00





sun canopy Playa grey as front canopy



Steel 100 % PES polyester, with PU coating

UV 50+







Fjord

Visually appealing sun canopy with side wall option in two different sizes.

This sun canopy can be mounted in two different ways. It can be pulled into a piping rail such as the Multirail or other commercial piping rails. The second option is to attach it via a connecting pole (included in delivery). The pole is inserted into the existing hemstitches of the sun canopy and then placed in the gutter of the vehicle (see drawing). Fixed with the included clamps. Both sizes come with three pitching poles.

Material: All Weathertex 1.7, made of 100 % polyester, PU-coated, therefore extremely light; rot-, tear- and waterproof, taped seams, reinforced eyelets.

Poles: ø 19 mm steel

Scope of delivery: tensioning material, pitching poles, fixing clamps, connecting pole, sun canopy

Sun Canopy Fjord 260

Dim. (WxHxD): 260x210x240 cm; Pack size: 92x18x13 cm; Weight: 6.35 kg

070/130

189.95

piping rail







setup video

Sun Canopy Fjord 300

Dim. (WxHxD): 300x210x240 cm; Pack size: 92x18x13 cm; Weight: 7.5 kg

070/131

199.95

Extension Set Fiord PR

With this extension set, you can transform the sun canopy Fjord into an awning. Simply attach the front and side walls to the inner side of the awning using the Velcro strips. The front and side walls are connected via zips. This creates a completely closed awning that protects you against rain and wind. Both side walls are equipped with transparent film windows, whereas the front wall has an additional entrance door. Incl. poles. Material: All Weather Tex. Mounting height: 180 - 220 cm

Size 260 070/132 375.00 Size 300 070/133 385.00

Mosquito Net for Sun Canopy Fjord

With this mosquito net, you can turn your sun canopy into an insect-free zone.

Size 260 070/134 169.95 070/135 **Size 300** 189.95



Aluminium

double-sided PVC coating, 100 % PES polyester







Canopy Shady Pro

The sun canopy Canopy Shady Pro is made in Germany and can be directly attached to caravans or to the models Galaxy, Pluto, Pluto XL, Ceres and Vega (model series from 2023 on). With a depth of 220 cm and the high-quality HydroTech® Ripstop material, the Canopy Shady Pro reliably protects you from the sun and the rain. Thanks to the three steplessly height-adjustable poles and four guy ropes, the Canopy Shady Pro is set up quickly and easily. The sun canopy is available in different sizes, each with a depth of 220 cm.

Compatible tents	Width	Weight		Price
For Vega and Mars 330.	305 cm	6.3 kg	075/741	219.00
For Vega 375.	350 cm	6.6 kg	075/742	229.00
For Pluto size 7, Pluto XL size 7 and Galaxy size 7.	410 cm	6.9 kg	075/743	239.00
For Pluto size 8, Pluto XL size 8, Galaxy size 8 and				
Ceres size 7.	440 cm	7.2 kg	075/755	249.00
For Pluto size 9, Pluto XL size 9, Galaxy size 9 and				
Ceres size 8.	470 cm	7.5 kg	075/744	269.00
For Pluto size 10, Pluto XL size 10, Galaxy size 10				
and Ceres size 9.	500 cm	7.8 kg	075/757	309.00
For Pluto size 11, Pluto XL size 11, Galaxy size 11				
and Ceres size 10.	530 cm	8.1 kg	075/756	319.00
For Pluto size 12 and Ceres size 11.	570 cm	8.4 kg	075/745	339.00

Material: double-sided PVC coating, 100 % PES polyester

Scope of delivery: tensioning material, sun canopy, poles





6000 mm **Sun Canopy Kari** to your caravan.

The sun canopy Kari can be attached directly to your caravan using a piping. With a depth of 250 cm and a width of 400 cm, the sun canopy offers extensive protection from the sun and the rain. Thanks to the AAS air tube, the sun canopy is not only quick and easy to set up, but also offers many customisation options.

Material: HydroTech® CottonTouch 100 % polyester

Poles: Airtube (AAS)

Scope of delivery: tensioning material, air pump, transport bag, tent

Dim. (WxD): 400x250 cm

Pack size: 100x30x28 cm; Weight: 13.2 kg

075/790 549.95





The perfect addition





Front Wall Kari

With its gauze element, the front wall Kari offers additional protection against insects. The air can still pass through, ensuring a pleasant temperature inside.

Pack size: 60 x 35 x 7 cm; Weight: 2 kg

075/792 129.95

Side Wall Kari

The Kari side walls protect the sun canopy Kari from rain, wind and sun on both sides. Includes 2 side walls.

Pack size: 80x40x8 cm; Weight: 5.6 kg

075/791 189.95

Frankana Freika



from 89.95

Zip Canvas



Bent combines lifestyle, freedom and functionality.







1500 mm

Zip Canvas



Bent – Functional lifestyle product with many applications.

For today's modern nomads: Simply take the Canvas with you and you have a roof over your head wherever you go. Sun and weather protection included. Bent combines lifestyle and functionality. Set up in a minute. Done!

Simply zip the Canvas to the Canvas of your friends or meet new people through Bent. Bent is robust and connectable via zip. Be creative and create new spaces with many possible applications – easily and everywhere, with whomever and for whatever purpose!

Scope of delivery: canvas awning, 3 guy ropes with aluminium three-hole tensioner incl. bag, pole bag and base plate for optional pole, carry bag with drawstring



setup video 1



setup video 2

Material: 100 % PES polyester, with PU coating

Dim. (WxD): 250x250 cm;

Pack size: 55 x 12 x 12 cm; Weight: 1.4 kg







Endless colour possibilities!





Oriental stripe cherry







New Zealand octopus print



New Zealand sun print




Oriental white Oriental autumn glory



Caribbean lime punch

punch



Caribbean white



New Zealand high rise



New Zealand sepia blue



Oriental Barbados cherry



Oriental high rise



Caribbean ocean wave



Caribbean Hawaiian ocean

New Zealand

New Zealand octopus print
New Zealand sun print
New Zealand high rise
New Zealand sepia blue

072/666	109.95
072/667	109.95
072/669	89.95
072/668	89.95

Oriental

Oriental stripe white
Oriental stripe cherry
Oriental white
Oriental autumn glory
Oriental Barbados cherr
Oriental high rise

072/604 99.95 072/605 99.95 072/607 89.95 072/609 89.95 ry **072/608** 89.95 072/606 89.95

Caribbean

Caribbean stripe lime punch
Caribbean stripe Hawaii
Caribbean lime punch
Caribbean white
Caribbean ocean wave
Caribbean Hawaiian ocear

072/661	99.95
072/660	99.95
072/663	89.95
072/665	89.95
072/662	89.95
072/664	89.95



Barbados cherry



Hawaiian ocean



sepia blue



Canvas Awning "Zip Protect Canvas"

The Bent Canvas awning with zip cover provides you with a dry space when using several Canvas awnings. The cover for the zips is attached on all 3 sides. UV 60 protection (standard 801). Side length: 250 cm.

Scope of delivery: 1 canvas awning, 1 drawstring carry bag, 3 guy ropes with aluminium three-hole clamp incl. bag, pole bag and base plate for optional poles

Material: 100 % PES polyester, with PU coating; Pack size: 55 x 12 x 12 cm; Weight: 750 g



Barbados cherry Hawaiian ocean sepia blue

99.95 072/670 072/671 99.95 072/672 99.95











Zebra print



Africa print



Nomad

Canvas Awning "TC Zip Canvas" **Africa**

The connectable Bent canvas awning "TC Zip Canvas Single" is modular, functional, versatile and particularly easy to use. Made of a robust polyester cotton mixed fabric (TC 65/35), with swelling cotton threads in the fabric. The TC Zip Canvas is characterised by its very high UV resistance and the TC fabric is PU-coated.

The connectable "TC Zip Canvas Single" canvas awning is equipped with high-quality SBS brand zips on the three sides.

Please order the pitching poles separately.

Scope of delivery: canvas awning, 3 guy ropes incl. bag, carry bag with drawstring.

Material: with PU coating, 65 % PES polyester, 35 % cotton, TC Technical Cotton Dim. (WxD): 250x250 cm; Pack size: 50x14x8 cm; Weight: 950 g

Sand	072/637	109.95
Africa print	072/638	139.95
Zebra print	072/639	139.95
Nomad	072/642	109.95

Accessories





119.95

Canvas Awning "TC Zip-Protect Canvas"

The connectable awning made of a robust polyester-cotton blend fabric (TC 65/35) 210 g/m² has a high UV resistance. The TC fabric has a hydrostatic head of 450 mm. Thanks to the triangular design and the reinforced corners, you can tension the awning optimally. With convenient TC bag with quick-release fastener, shoulder straps and a small pack size for easy transport. Free from environmentally harmful perfluorocarbons (PFC).

Scope of delivery: canvas awning, 3 guy ropes with aluminium three-hole tensioner incl. bag, pole bag and base plate for optional pole, carry bag with drawstring.

Dim. (WxD): 250x250 cm; Pack size: 56x10 x10 cm; Weight: 1.15 kg 072/673 119.95



Carpet Oriental







Carpet Africa





Carpet New Zealand

from 109.95

Carpet "Zip Carpet"

The soft, durable carpet can be combined with both the Canvas and the XL Lounger. Waterproof. Incl. carry bag. Upper material: polyester/Nylex; underside: PVC. Dim.(LxW): 250x250 cm Pack size: 55 x 16 x 16 cm; Weight: 2.9 kg

Carpet Oriental Carpet Caribbean Carpet New Zealand Carpet steel grey New	072/573 072/574 072/575	119.95 119.95 109.95
Zealand	072/602	109.95
Carpet Africa	072/640	119.95



Bolster "Zip XL Lounger"

The inflatable Bent XL Lounger is a must-have for the Bent Chill Area: it either serves as a comfortable seat or just as a pillow. Connectable. Incl. carry bag. Outside material: PES. Inside material: PVC

Material: 100 % PES polyester, 100 % PVC polyvinyl chloride; Dim. (Lxø): 175x30 cm Pack size: 55 x 14 x 9 cm; Weight: 1.2 kg

72/576	89.95
72/577	89.95
72/641	89.95
72/657	89.95
	72/577 72/641

Carpet steel grey New

Zealand

69.95

Folding Suction Cup for Fastening the Tensioning Pole

With the Bent folding suction cup made of 100 % stainless steel, you can fix the universal adapter incl. aluminium tensioning pole to your vehicle. The natural rubber suction plate adapts optimally to smooth surfaces and offers a maximum load capacity of 10 kg. Thanks to the curved clasp, a tensioning pole with a maximum diameter of 22 mm can be hooked in. Ideal as an addition to the Bent universal adapter + aluminium tensioning pole to attach the Bent system to the vehicle.

Material: 100 % stainless steel; suction plate: 100 % natural rubber 610/669 69.95



Vehicle Adapter

The adapter enables the Bent canvas awnings to be attached to vehicles with a 4 mm or 10 mm piping attachment. Attachment to the vehicle with connecting pole and suction cup adapter. Connection width: 235 cm. Incl. bag. Can also be attached to awnings with piping rails.

Piping attachment: 4 mm 072/687 79.95 Piping attachment: 10 mm 072/688 79.95

Universal Vehicle Adapter

With the universal double piping adapter (5.8 + 7.2 mm), you can attach the Canvas directly to your recreational vehicle.

Universal Vehicle Adapter

Dim. (LxW): 250x15 cm; Pack size: 21x20x10 cm; Weight: 570 g 072/578 79.95

Universal Vehicle Adapter XL

Suitable for higher vehicles thanks to the 55 cm extra fabric add-on. Dim. (WxD): 250x55 cm; Pack size: 24x24x10 cm; Weight: 810 g

072/615

89.95



Tensioning Pole

Adjustable aluminium connecting pole (243 -249 cm) for the universal vehicle adapter (XL).

070/561 54.95

29.95



Aluminium Ridge Pole

Makes the front guy rope unnecessary when space is limited or the ground is hard. Telescopic (35 – 185 cm) and made of high-quality aluminium (ø 25/22 mm; wall thickness 1.2 mm). Can be used in conjunction with vehicle universal adapter + aluminium tensioning pole.

> 072/674 29.95



Pitching Pole

Four-part pitching pole. Total height: 180 cm. steel ø 19 mm 072/579 16.95 aluminium ø 22 mm 072/616 24.95



Telescopic Pole

Aluminium telescopic pitching pole with a diameter of 22 mm and a total height of 230 cm for the canvas awning Bent Canvas. The pole can be used variably for heights from 130 - 230 cm. Dim. (Hxø): 230x2.2 cm;

Weight: 450 g 29.95 072/617



Three-piece guy rope set with high-quality aluminium three-hole clamp. Length: 3.5 m Content: 3 pieces

red	072/582	7.95
black	072/583	7.95
blue	072/584	7.95
orange	072/585	7.95

4.95



Aluminium Ground Spike

Ultralight and unbreakable ground spike with open eyelet. Suitable for hard grounds. Material: aluminium; Length: 18 cm; Content: 3 pieces 072/580 4.95

8.95



Tensioning Material

Hardwood peg for soft and sandy grounds. The ball clamping ring can easily be threaded in the eyelet of the canvas and fastened to the hardwood peg. Length: 30 cm; Content: 3 pieces

072/581 8.95

19.95



Sand Peg

The ideal peg for the beach. Thanks to its wide shovel shape, the peg is always secured firmly in the sand. Incl. 3 rubber tensioners.

Material: aluminium; Length: 33 cm Content: 3 pieces 072/618

19.95



Airtube

100 % PES polyester

UV 50+

Event Shelter Air L



The Event Shelter Air L by Coleman® can be set up quickly and easily by just one person and is a smart option for families who want to spend a longer holiday at a campsite. The spacious shelter can be set up in just a few minutes thanks to the single inflator point system. All you need to do is attach the supplied pump to the valve on the Event Shelter Air. The incoming air is then quickly distributed in the individual arch poles and thus throughout the entire shelter. As soon as the shelter is fully inflated and the valve is closed, the clips included in the scope of delivery allow the individual air tubes to be separated from each other. In this way, in the event of a small leak, it can be ensured that the air only escapes from the affected arch pole and not from the entire shelter. The Event Shelter Air L is equipped with Coleman® UV protection, which increases the durability of the fabric.





Scope of delivery: tensioning material, air pump, pavilion, transport bag

Material: 100 % PES polyester

Dim. (WxHxD): 365x190x365 cm; Pack size: 75x38x38 cm; Weight: 17.7 kg

075/812

699.00





Frankana Freiko



Create even more privacy in your pavilion with the side wall set!

Folding Pavilion

Zebò Enjoy 2.0



Convenient folding pavilion (automatic) with central roof pole for a maximum roof inclination that favours water drainage. Sturdy, powder-coated steel poles (40 x 40 mm) with height-adjustable feet (extendable: 210 – 335 cm). Welded seams. Quick and easy to set up and take down. Not fire-retardant. The screwed components can easily be replaced.

Poles: 40 mm steel

Material: 100 % PES polyester, PVC coating

Width: 300 cm

Dim. (WxHxD): 300x335x300 cm; Pack size: 165x26x25 cm; Weight: 25.5 kg

070/992 289.90

Scope of delivery: 40 mm steel poles, tensioning material, pavilion, transport bag

Width: 450 cm

Dim. (WxHxD): 450x335x300 cm; Pack size: 165x33x26 cm; Weight: 32.2 kg

070/993 349.90

Accessories

Side Wall Set Zebò Enjoy 2.0

Handy side wall set for Zebò Enjoy folding pavilions. The side walls complete every folding pavilion and make it both weather-resistant and windproof. They are fastened to the inside of the pavilion border by means of a pre-assembled Velcro fastener and can be joined together via zip, if required.

Scope of delivery: 1 side wall with zip, 1 side wall without window, 2 side walls with window, transport bag

Material: 100 % PES polyester

Width: 300 cm

Dim. (WxD): 300x300 cm;

Pack size: 45 x 43 x 6 cm; Weight: 1.85 kg

070/994 149.90

Width: 450 cm

Dim. (WxD): 450x300 cm;

Pack size: 46x39x13 cm; Weight: 10.5 kg

070/995 164.90

Frankana Freiko®







Storage Tent

Equipo



Handy storage tent that can be used in a variety of ways. The storage tent Equipo provides a large storage space and is very easy to set up. The front wall entrance can be rolled up. A large ventilation window can be found at the back.

Material: weather-resistant and washable PVC.

Poles: ø 22 mm steel.

Scope of delivery: Ø 22 mm steel poles, tensioning material, transport bag, tent

Dim. (WxHxD): 150x200x220 cm Pack size: 127x27x23 cm; Weight: 15 kg

070/558 395.00

Rear Garage

Deluxe



ment. The ideal place to protect your belongings from rain and dirt. Easy and quick to set up. Not suitable for continuous use.

Material: 100 % polyester

Poles: ø 9.5 mm fibreglass

Scope of delivery: Ø 9.5 mm GRP poles, tensioning material, transport bag, tent

Dim. (WxHxD): 170x190x180 cm Pack size: 66x12x12 cm; Weight: 2.25 kg

070/996 119.95

Storage Tent

Weser



The storage tent Weser is a high-quality storage tent for continuous use. The front wall is equipped with two vertical zips and top ventilation. An internal tensioning element and four storm clips on the outside provide the necessary support. A storm straps set (070/927) is optionally available.

Material: 100 % PVC, coated on both sides, weatherproof and rinseable

Poles: ø 25 mm steel

Scope of delivery: Ø 25 mm steel poles, tensioning material, transport bag, tent

Storage Tent Weser 130

Dim. (WxHxD): 230x180x130 cm Pack size: 120x38x38 cm; Weight: 23 kg

1ck 312c. 120 x 30 x 30 cm, vveignt. 23

070/997 479.95

Storage Tent Weser 190

Dim. (WxHxD): 230x180x190 cm Pack size: 120x38x38 cm; Weight: 25 kg

070/998 599.95

(information


Camping has a long tradition for us humans. However, the way we camp has changed in many respects. Take accessories, for example. Hardly any wishes remain unfulfilled and many useful items are offered by our specialist retailers, who can help you make the right choice with expert advice.

Accessories are all about things that "make life easier", about safety and care, but also about design – be it awning floors made of simple tarpaulin material or solid floors that give your awning the character of a home, energy-saving LED lighting for self-sufficient systems, lighting technology for the ambience in the awning, strong tent pegs or the right additional poles.

from 189.00 GENTLETENT







As an inflatable mud flap, the GT Seal Tube by GentleTent seals the awning of your motorhome or caravan from the underside against wind and dirt. The robust tube is placed under the vehicle and inflated. Suitable up to an underfloor height of 42 cm, available in four lengths.

Material: Double Ripstop PES, TPU

Advantages:

- · Easy to install
- · Effective wind protection
- Effective escape barrier for dogs

Dim. (Lxø)	Weight		Price
235 x 40 cm	2.7 kg	072/653	189.00
400 x 40 cm	4.1 kg	072/654	215.00
500 x 40 cm	4.7 kg	072/655	235.00
600 x 40 cm	5.4 kg	072/656	269.00

59.95





Inner Tent

This 2-person inner tent can be used anywhere as a sleeping cabin: in the awning as an additional sleeping space, in a travel tent or even in a van awning. It is freestanding and fits in almost anywhere. The groundsheet is made of sturdy PE material. The walls and roof are made of breathable nylon. The large opening allows easy access. Bag included.

Poles: ø 7.9 mm fibreglass

Dim. (WxHxD): 210x145x145 cm Weight: 1.95 kg

59.95 075/540

Accessories for your awning

4 Euro Trail



Sleeping Cabin Luxus

Enjoy a peaceful sleep with this comfortable sleeping cabin. It is simply hooked into the existing tent poles.

Material: 65 % polyester, 35 % cotton; groundsheet: PVC

Dim. (WxHxD): 210x185x145 cm

Weight: 2.5 kg 070/569 99.95

Dim. (WxHxD): 210x185x180 cm

Weight: 3.5 kg 070/579 119.95

For the extension: Dim. (WxHxD): 200x145 x 135 cm; Weight: 2.5 kg 070/569-1 89.95



Awning Carpet Aero-Tex

About 3 mm thick, coated with PVC foam, therefore pleasantly soft, dirt can fall through it. Easy to clean even when quite dirty. Incl. carry bag. Carrier fabric consists of 100 % jute (PVC-foam-coated jute fabric) and is phthalatefree

- UV-resistant
- Abrasion-resistant
- Weatherproof

Colour: blue

300 x 250 cm

400 x 250 cm

500 x 250 cm

600 x 250 cm

- · Comfortable to walk on
- Effective drainage effect
- Thermal insulation



blue





OEKO-TEX®

Colour: green

Dim. (LxW)			Price
300 x 250 cm	10.20	610/807	76.50
400 x 250 cm	9.19	610/808	91.90
500 x 250 cm	8.95	610/809	111.90
600 x 250 cm	9.03	610/811	135.50

Colour: grey

Dim. (LxW)			Price
300 x 250 cm	10.20	610/860	76.50
400 x 250 cm	9.19	610/861	91.90
500 x 250 cm	8.95	610/863	111.90
600 x 250 cm	9.03	610/864	135.50



Tent Carpet Patio-Mat

The elegant and easy-to-transport polypropylene mesh is 100 % breathable and very pleasant to walk on, especially barefoot. Patio-Mat is UV- and fireresistant. The mesh is printed on both sides so both can be used. The sides have a strong frame sewn in at the edge. The corners are equipped with convenient loops so that you can fasten the mat with pegs.

Dim. (LxW)			Price
260 x 250 cm	15.23	610/276	99.00
290 x 250 cm	14.48	610/270	105.00
340 x 250 cm	13.06	610/271	111.00
390 x 250 cm	12.92	610/272	126.00
440 x 250 cm	12.73	610/273	140.00
540 x 250 cm	12.00	610/277	162.00



610/275



The inflatable windbreak Narvi is the epitome

windbreak is quickly inflated using the pump in-

cluded in the scope of delivery. Be it one, two,

of freedom. Any number of elements can be

joined together using a zip connection. The

10.20

9.19

8.95

9.03

610/740

610/741

610/742

610/743

Airtube

GERMANY

76.50

91.90

111.90

135.50

PES polyester

Westfield

269.95

269.95





Extension Windbreak Narvi

The extension can easily be attached to the windbreak Narvi if additional elements are needed.

Colour: grey; Material: PES polyester;

Dim. (WxH): 150x130 cm

Pack size: 60x24x18 cm; Weight: 2.94 kg

072/676

149.95

tor awnings

Mosauito **Net Door**

With a few simple steps, you can insert this mosquito net door, which can be rolled up or to the

side, into the entrance door of your awning. Use the included veranda pole and clamps to attach the mosquito net door between two vertical poles. Two additional vertical zips allow you to roll up the net door.

Scope of delivery: veranda pole ø 25 mm, clamps; Dim. (LxW): 215 x 100 cm

> 179.95 075/449

Colour: grey; Material: PES polyester;

Dim. (WxH): 300x130 cm;

Pack size: 80x25x22 cm; Weight: 4.6 kg

three or more elements - you decide.

072/675

Frankana Freika®



HighQ Furniture series



Item no. 601/414

Foldable Chair HighQ Blueline Item no. 601/424

Kids Chair HighQ Greenline

Item no. 67 012



You can find even more handy accessories in our main catalogue.

> Just get to know us.





No matter where you are camping, with camping accessories from Frankana Freiko you are always well-equipped and prepared for any eventuality. If you visit your Frankana Freiko retailer, you can not only discover well-known brands, but also the Frankana Freiko Collection. This includes high-quality, colourful and elegant camping furniture such as camping chairs and cabinets, awnings, solar systems and much more.



frankanafreiko.de/en

Frankana Freiko Collection Tents



Poles Barcelona

Awning poles in steel or aluminum with VD tensioning pole.

steel ø 25 mm 610/058-1 229.00 aluminium ø 28 mm 610/059-1 295.00

Universal Poles

Suitable for: sun canopy Stella.

steel ø 25 mm **610/360 189.00** aluminium ø 28 mm **610/365 265.00**

Poles Prestige/Bodensee

Suitable for: Prestige and Bodensee.

steel ø 25 mm 610/069 195.00 aluminium ø 28 mm 610/069-1 299.00

Standard Steel Poles

Steel poles ø 25 mm with GripStop system. The pole locks when pressing it together without any damage. Very easy to use. **Suitable for:** Lux. Weight: 15.6 kg **610/063 239.00**

Storm Straps

Storm Strap Set Frankana Freiko

Tensioning is provided by a strong tension spring that regulates the tension of the strap while an iron ground spike ensures the necessary hold. On storm roofs without an overhang, the eyelet of the

strap is placed on the spike of the tent poles. **Set:** 2 straps with eyelets (length: 280 cm),

2 relief springs, buckles, abrasion protection and

2 pegs.

Suitable for: Lux, Prestige, Jubilee, Rhön DC and Feldberg. **070/926 52.50**

Storm Strap Set

Universal storm strap for tents and awnings.



Consists of 2 straps with a length of 11.5 m and 1.5 m respectively, 1 strong spiral spring and 2 extra strong pegs. **610/207 19.95**

Storm Strap Set

The set consists of two heavy fabric straps, spiral springs and robust anchor pegs. This storm strap set keeps the tent firmly anchored even in strong winds. The spiral springs

equalise movements and thus protect the flysheet and poles.

Suitable for: Garmisch, Allgäu, Grönland, Finnland, Meira, Friesland and Weser.

070/927 44.95





Storm Strap

Storm strap for 5.5 mm piping rail, awning and canvas awning incl. elastic strap as spring part and universal peg module (green).

Content: 2 pieces

070/920

39.95



Suitable for Galaxy, Pluto, Pluto XL, Vega, Mars, Neptune, Orion, Ceres, Zodiac and Triton.





Extension Eris Premium

The extension Eris is guick and easy to set up and creates extra living space in your awning! No matter whether you are sleeping in it or use it as a kitchen or storage tent, Eris offers a variety of possibilities. The door and the tinted windows with privacy function create optimum light conditions and always give you a perfect view. The height of 180 cm offers headroom and leaves nothing to be desired. A double zip allows you to use the existing side wall of your inflatable awning as a partition or room divider. The supplied roof poles ensure optimum tension in the roof

Material: HydroTech® CottonTouch

Suitable for Pluto 2.0, Pluto XL 2.0, Vega 2.0, Galaxy 2.0, Neptune 2.0 and Orion 2.0.

Scope of delivery: tensioning material, Airtube, roof pole, mosquito net, transport bag, tent

Colour: grey; Dim. (WxHxD): 210x180x180 cm; Pack size: 95 x 30 x 30 cm; Weight: 11 kg

075/789 699.95

Extension Eris

The extension Eris is guick and easy to set up and offers a variety of possibilities. With door, tinted windows and 180 cm headroom. Thanks to a double zip, you can use the side wall of your inflatable awning as a room divider. Incl. roof poles.

Dim. (WxHxD): 210x180x180 cm Pack size: 80.5 x 28 x 26.5 cm; Weight: 10.5 kg

075/622 629.95

19.95

34.95

070/318

Pitching Poles

Pitching poles for tensioning canvas awnings. For Hydra and Dorado XL.

Material: steel; Dim. (Lxø): 180 cm x 20 mm

Veranda Pole

Veranda pole for the partial tents Vega, Ceres and Mars. Extendible from 1.6 to 1.9 m. Extendable: 1.6 – 1.9 m; Material: aluminium

24.95 075/606

Roof Pole Orion

Roof pole for van awning Orion (2020). Two poles are required for the tent.

Material: aluminium; Pack size: 86x10x3.5 cm 35.00 Weight: 450 g 075/424

Veranda Pole Pluto

up to size 10 Extendable: 2.2 – 2.9 m **075/605** 34.95 from size 11

Extendable: 3 15 - 3 4 m 075/698

Universal Extension

The universal extension fits all awnings of the Premium series and can be used as additional storage space or as a sleeping place. The extension can be attached to the left or to the right side, which ensures that it can be adapted to all sites.

Dim. (WxHxD): 220x165x200 cm;

Weight: 7.7 kg 075/415 389.00

Sleeping Cabin for Universal Extension

The optional sleeping cabin for the Air Annex creates privacy and an optimal room layout. The sleeping cabin with mosquito net gives you an extra large room to sleep in.

Dim. (WxHxD): 180x160x200 cm

Weight: 1.5 kg 075/416 69.95

Universal Inner Tent

This freestanding inner tent is suitable for all Westfield TQC awnings. It is equipped with a groundsheet, mesh for ventilation and an entrance door. With the help of the two fibreglass poles, it can be pitched very guickly and easily and can be positioned freely in the awning.

Colour: anthracite; Material: 100 % PES polyester Dim. (WxHxD): 160x210x160 cm

Pack size: 54 x 17.5 x 17.5 cm

99.95 Weight: 2.2 kg 075/760



Pressure Poles (Pair)

Pressure pole set with pad to press the awning against the vehicle wall. Suitable for Gemini, Dorado, Omega and Lynx. Content: 2 pieces; Extendable: 235 – 280 cm; Material: steel

070/319

29.95

Easily compensate for unevenness.



Spacer Set

Spacer to compensate for uneven grounds. Content: 4 pieces; Dim. (Hxø): 3x16 cm Weight: 2.4 kg 075/463

12.95



Connection Set Drive Away Kit

The universal Drive Away Kit with triple piping (7/7 mm or 5/7 mm) serves as a detachable connection between the vehicle and the awning. The piping tape is threaded into the piping rail of the vehicle 610/262 29.95

39.95



AAS Airtube for Aquarius Pro 300

The additional air tubes reinforce the overall structure during storms. Material: HydraDore® SL 075/482 39.95



Air Pump Premium

Double action pump with aluminium shaft and built-in pressure gauge (manometer). The height of 64 cm allows more air volume per stroke (approx. 2 litres). The maximum pressure is 7 PSI.

> 075/499 39.95



Electric Air Pump

You no longer have to pump by hand as the electric compressor with 12 V connection and pressure indicator inflates your tent in no time. Equipped with a digital manometer for pressure indication in PSI or bar.

Dim. (WxHxD): 27x19x17 cm; Weight: 2.3 kg

075/464 139.00





Main Air Tube

Inner main air tube without protective cover for travel awning Pluto. Material: TPU.

Pluto Gr 8 109.50 075/494 Pluto Gr. 9 113.75 075/495 Pluto Gr. 10 114.75 075/496



Air Tube Support

Inner air tube support front/middle for travel awning Pluto sizes 8, 9, 10 and 11. Material: TPU. 075/498 33.80



Air Tube Roof

Inner roof air tube for travel awning Pluto sizes 8, 9 and 10. Without protective cover. Material: TPU 34.50 075/497





Tensioning Ladder Straps

Plastic tensioning ladder straps for easy tensioning of tents and awnings for various distances from the ground. Content: 10 pieces; Dim. (LxWxH): 15x2.5x0.5 cm
Weight: 100 q 075/945 5.00



Curtain Guides

Curtain guides for Dorema awnings.
Content: 20 pieces; Dim. (WxHxD): 25x6x15 mm
Weight: 100 g 075/954 4.00

369.00



Electric Air Pump De Luxe

Has an automatic switch-off for the required filling pressure. Suitable for 230 V, 12 V DC and battery operation. Dim. (WxHxD): 17.2x15.4x28.2 cm; Weight: 6.5 kg 075/346 369.00

35.95 6 pieces

Storm Strap Safe Lock

For all StarCamp and Dorema awnings and sun canopies that are equipped with the necessary plug-in buckles. Scope of delivery: 2 pegs (38 cm), 2 springs and 2 adjustable straps.

075/347 35.95



Easy Grip Quick Release Fastener

Quick release fastener set 22 mm for poles.
Colour: grey; Material: plastic, metal;
Dim. (WxHxDxø): 55x75x25x22 mm;
Content: 4 pieces 075/907 19.00

12.00



Safe Lock Universal

Safe Lock Universal for sun canopies and tents with spike that are not equipped with a sewn-on attachment for storm straps. Suitable for all common awning brands.

Content: 2 pieces; Dim. (WxHxD): 5.7x11x1.5 cm 075/904 12.00

18.00



Repair Kit Tear-Aid

Transparent and self-adhesive.

Dim. (WxHxD): 150x1x77 mm

Ten Cate fabric 075/943 18.00

PVC fabric 075/944 18.00

39.009 pieces

Storm Strap Safe Lock

For all fully integrated StarCamp and Dorema awnings (Octavia Air and Luxor Air). Scope of delivery: 3 pegs (38 cm), 3 springs and 3 adjustable belt straps.

075/900 39.00



Awning Pole Tensioner

Pole gun for easy tensioning of the poles. The hook hooks into the awning pole, so that you can bring it to the desired tension without much effort.

Dim. (WxHxD): 325x30x300 mm

Weight: 1 kg **075/987 20.95**



Retaining Eyelets Quick Lock Pads

Screwless retaining eyelets for roof poles.

Material: plastic; Content: 3 pieces Dim. (WxHxD): 70x45x46 mm; Weight: 200 g


Universal 075/901 23.00 Hobby 075/902 27.00 Knaus 075/903 27.00

steel



from 98-00





Colour: blue

Colour: grey

Awning Carpet Starlon

The Starlon awning carpet is available in blue and grey and therefore perfectly matches your Dorema awning. Thanks to the special fabric structure and the use of high-quality, flexible and durable plastic, the Starlon is particularly light and feels pleasant when walking barefoot. The carpet easily adapts to any surface, folds compactly and is easy to clean even coffee or wine stains can be easily removed with a damp cloth. As the fabric structure is airpermeable, no unpleasant odours can form under the carpet.

Colour: blue

Dim. (LxWxH)			Price
400 x 250 x 0.3 cm	9.80	075/955	98.00
500x250x0.3 cm	9.76	075/956	122.00
600 x 250 x 0.3 cm	9.73	075/957	146.00
700 x 250 x 0.3 cm	9.66	075/958	169.00
400 x 280 x 0.3 cm	10.54	075/959	118.00
500 x 280 x 0.3 cm	9.86	075/960	138.00
600 x 280 x 0.3 cm	9.76	075/961	164.00
700 x 280 x 0.3 cm	9.85	075/962	193.00

Colour: grey

Dim. (LxWxH)			Price
400 x 250 x 0.3 cm	9.80	075/963	98.00
500 x 250 x 0.3 cm	9.76	075/964	122.00
600x250x0.3 cm	9.73	075/965	146.00
700x250x0.3 cm	9.66	075/966	169.00
800 x 250 x 0.3 cm	9.90	075/967	198.00
400 x 280 x 0.3 cm	10.54	075/968	118.00
500 x 280 x 0.3 cm	9.86	075/969	138.00



Sleeping Tent for Awnings

The sleeping tent for two people can be hooked into the awning. Only suitable for awnings with steel or aluminium poles. Dim. (WxHxD): 200 x 130 x 200 cm 075/905 129.00







Air Tube Quick'n Easy Air

Quick'n Easy Air 225	075/483	99.40
Quick'n Easy Air 265	075/484	105.50
Quick'n Easy Air 325	075/485	111.70
Quick'n Easy Air, roof	075/487	42.90
Quick'n Easy Air,	075/486	105.50
front/back		
Quick'n Easy Luxus, roof	075/488	59.40
Quick'n Easy Luxus,	075/489	128.50
front/hack		

Additional tent poles

Roof Pole

Extendable: 250 - 300 cm ø 25 mm 075/916 29.00

Storm Pole

Extendable: 170 - 250 cm

ø 25 mm 075/919 46.00

Veranda Pole ø 22 mm

Extendable: 120 – 215 cm **075/912** 22.00 Extendable: 195 – 280 cm **075/913** 25.00 Extendable: 270 - 355 cm 075/914 30.00

Canopy Pole ø 22 mm

Extendable: 115 - 210 cm 075/921 14.00 Extendable: 210 – 295 cm **075/922** 22.00 Extendable: 290 - 360 cm 075/923 25.00

Additional tent poles

fibreglass

Roof Pole ø 30.5 mm

Extendable: 185 - 250 cm 075/937 56.00 Extendable: 250 - 280 cm 075/938 65.00

Veranda Pole

Extendable: 115 – 210 cm ø 25.5 mm 075/934 40.00

Storm Pole

Extendable: 185 - 250 cm

ø 25 5 mm 075/939 47.00

Additional tent poles



Storm Pole

Extendable: 180 – 245 cm		
ø 28 mm	075/930	34.00

Roof Pole

Exteriuable. 165 – 250 till		
ø 25 mm	075/927	32.00

Veranda Pole

Extandable: 195 - 350 cm


Extendable: 120 – 215 cm		
ø 25 mm	075/924	30.00

Canopy Pole

Extendable: 115 – 210 cm		
ø 25 mm	075/931	22.00

Additional tent poles





Storm Pole

Extendable: 165 - 260 cm

Suitable for Lux, Lago and Stella. steel ø 22 mm 610/026 23.50

Suitable for Stella.


aluminium ø 25 mm 610/009 28.50

Suitable for Prestige and Feldberg.

steel ø 25 mm 610/044 25.50

Suitable for Prestige.

aluminium ø 28 mm 610/065 28.50



Roof Pole with Hook

Suitable for Stella and Prestige.

Extendable: 170 – 260 cm; aluminium ø 28 mm 610/066 29.50


Suitable for Lux, Lago, Stella and Prestige. Extendable: 160 - 260 cm; steel ø 25 mm

610/043 24.50

Suitable for Feldberg.

Extendable: 215 - 300 cm; steel ø 25 mm

610/113 26.90



Tension Rafter

Suitable for Lux and Lago.

Extendable: 200 - 280 cm; steel ø 22 mm

610/021 22.95



Intermediate Pole

With clamping spring at the taper. Suitable for Bodensee. Dim. (Lxø): 80 cm x 25 mm;

Content: 2 pieces

610/052 17.95



PP Tensioning Set 270°

Secure your 270° awning or your pavilion additionally when it is windy with this combination of tensioning straps and screw pegs. Ideal for normal, soft and sandy soils thanks to compressing threads. With PP screw peg Schlag (aluminium) for hard ground. Equipped with height-adjustable hooks. The set consists of: 3 screw pegs N 20 cm,

3 screw pegs blow 15 cm, 3 screw pegs L 32 cm, 3 Crocodile Peggys, 6 L-hooks, 3 N-hooks, 3 U-Connectors, 3 T-Connectors, 1 Combi Tool Aluminium, 1 orange bag.

610/454

109.95



PP Screw Pegs StartKit

Fibreglass-reinforced, height-adjustable universal screw pegs for canopies, ropes, tents, etc. Consists of: 30 Peggys N 20 cm long with 30 hooks, 20 Peggys S 12 cm incl. Kombi Tool and drill set, storage bag (100 % polyester). Sufficient for caravan awnings with a length between 4.5 and 610/121 5.0 m. 79.95

27.50



Danger!, H226, H315, H319, H334, H335, H373, EUH204

Outwell

Field Repair Kit

The perfect Outwell repair kit for protecting tent seams, the flysheet, the groundsheet and mesh inserts. Repair tears and holes in your gear and seal seams. Patches can be cut to the right size. Incl. convenient storage bag.

> 610/639 27.50



Repair Kit - Airtube

Three patches. Optimised for repairing inflatable 9.50 tents. 610/631

17.00





Repair Set for Awnings

Self-adhesive repair set for sealing holes and tears in awnings. The three patches (78 x 150 mm, 36 x 36 mm and 23 x 23 mm) are transparent and can be cut as required. Incl. reinforcement cord and cleaning cloths.

Type A is suitable for acrylic, e.g. the awning fabric. Type B is suitable for PVC (especially for windows, PVC roofs and the lower elements of the awning). 17.00

Repair Set PVC Type B Repair Set Acrylic Type A 610/634

610/633

17.00

from **5.25**





information: How to attach an awning to your vehicle:

Connection Piping

Connection piping in grey. Awning attachment to the vehicle. Made of plastic. Hooked in the gutter on one side. On the other side, the profile piping of the canvas awning or tent is pulled in.

100 cm 5.25/m **610/791 5.25** 250 cm 4.60/m **610/792 11.50**



Piping Brush with Nylon Wire

Quickly removes dirt from the awning piping rail. For gentle cleaning without scratches. Wooden handle Ø x L: 21 x 90 mm. Dim. (LxWxH): 130x55x9 mm; Pack size: 12.9x4.5x2.1 cm; Weight: 23 q 610/818 10.95

19.95



Suction Cup

Attach awnings or sun canopies to vehicles without a gutter (e.g. VW T4) by using a negative pressure suction cup.

Content: 1 piece; Dim. (Hxø): 60x100 mm

610/664 19.95







1. Attachment without rain gutter:

Clamp the connecting pole into the hinged suction cup. Attach the connecting pole to the vehicle roof.

2. Suction cups:

Simply clamp the connecting pole into the suction cup. Paint-friendly attachment.

3. Attachment with piping:

With the help of the magnetic piping adapter set. Is connected to the awning with piping and profiles and adheres to flat vehicle roofs.

23.25 KUNZEI

Quellität verkin

Mini Folding Suction Cup

Versatile folding suction cup, e.g. suitable for screwless mounting of canopies, canvas awnings, etc. on smooth, dry and clean surfaces. Load capacity on a perfect surface approx. 12 kg.

Content: 2 pieces; Dim. (Hxø): 70x55 mm

610/666 23.25



Clamping Suction Cup

For attaching the connecting pole even without a gutter or piping rail. Just clamp the pole into the suction cup and attach it to the dry and clean vehicle roof.

Content: 1 piece; Dim. (Hxø): 75x55 mm

610/665

46.90



Magnetic Adapter

Magnetic adapter consisting of 3 pieces. Allows you to attach your touring awning to your vehicle quickly. Sticks to tin roofs and is connected to the tent via piping and profiles. Incl. guy ropes and pegs. Dim. (WxHxD): 260x1 x17 cm 610/340 56.95



Crosscamp Connect Set 7 – 9 mm

Adapter between Crosscamp rail and awning. The scope of delivery includes a 9 mm piping profile to connect a freestanding van awning to a vehicle with a factory-fitted Crosscamp piping rail. Connects your van awning to your vehicle.

610/341 28.95



Double Piping Adapter Set

Suitable for awnings, VW California and conventional piping rails. (7+5 mm). The double piping tape is threaded into the piping rail of the vehicle. By attaching the double profile rail, the awning piping can be easily connected to the vehicle. This makes it easy to dock and drive away the vehicle.

610/337

33.95







flexiMAGS.





















- 4 magnet systems each ø 18 mm, ø 22 mm,
- 2 magnet systems each ø 66 mm, ø 88 mm
- 1 magnet system ø 125 mm

Extensive accessories

• 1 magnet system L115 mm

FlexiMags Sets

The smart, compact magnetic boxes with up to 102 pieces are perfect for van drivers. With flexiMAGS, you can attach objects quickly and flexibly – secure hold guaranteed. To protect the bodywork, we recommend magnet systems with a white rubber coating. Magnets and accessories for indoor and outdoor use. Be it a light, a socket, an outdoor shower or a simple clothesline everything can be fixed quickly and securely with flexiMAGS. You also receive extensive accessories with each set, such as cable holders, metal tapes or a USB stick with application examples.

Explanation of the magnet systems:

- Magnets ø 25 mm, magnetic on both sides in plastic housing, holding force 0.4 kg each
- Magnet system 55 x 27 mm, in plastic housing, hooks, holding force 18 kg each
- Magnet system 55 x 27 mm, in plastic housing, hooks, holding force 40 kg each
- Magnet system ø 18 mm, holding force 2.5 kg each, M4 thread
- Magnet system ø 22 mm, holding force 3.8 kg each, M4 thread
- Magnet system ø 43 mm, holding force 10 kg each, M4 thread
- Magnet system ø 66 mm, holding force 25 kg each, hole for M5 screw
- Magnet system ø 88 mm, holding force 55 kg each, M6 thread
- Magnet system ø 125 mm, holding force 55 kg each, M6 thread
- Magnet system L115 mm, holding force 35 kg each, with hinge











95.95





Magnet Set Starter

- 5 magnets ø 25 mm
- 2 magnet systems 55 x 27 mm, holding force 18 kg each
- 2 magnet systems 55 x 27 mm, holding force
- 4 magnet systems ø 22 mm
- 2 magnet systems each ø 43 mm, ø 66 mm
- Extensive accessories

610/236

95.95

111.95



Magnet Set Basic

- 8 magnet systems each ø 18 mm, ø 22 mm
- 4 magnet systems ø 43 mm
- 2 magnet systems ø 66 mm (M6 thread)
- Extensive accessories

610/237 111.95

Frankana Freika[®]

195.95

610/238



Magnetic Awning Bracket Set flexiMAGS

The awning foot bracket allows you to attach your awning directly to your van. Perfect for short stops or on surfaces that make using pegs impossible. Suitable for wall and roof awnings.

Scope of delivery: 2 x magnet A system, rubber-coated, 125 mm, with threaded pin M6 x 28 mm and knurled nut M6.

Colour: black;

Dim. (ø): 125 mm; Weight: 220 g

071/999 92.95

NEW

55.95

RexiMAGS.

Magnetic Fastener Canvas Awning flexiMAGS

Magnetic canvas awning kit for quick attachment of the awning by means of 2 strong rubberised magnet systems (ø 66 mm; ø 88 mm). The rubber coating provides a high level of protection against scratches on the paintwork. We recommend cleaning dirty surfaces before attaching the magnets.

Scope of delivery: magnetic fastener for awnings, carabiner for the awning, assembly instructions and transport bag.

610/447 55.95









Coat Rack Set for Inflatable Tents flexiMAGS

Just open the zip of your inflatable tent, put in the stainless steel plate, close the zip again, put the flexiMAGS hook against it and hang up your jacket or bag.

The set consists of 1 stainless steel plate and 2 flexiMAGS hooks.

Dim. (LxWxH): 100x35x1 mm


black, black 610/443 25.95 white, black 610/444 25.95



LED Strip Set for Awnings

LED strip set, 230 V with remote control for switching the lights on and off and dimming function. Nominal voltage: 230 V; Content: 3 pieces; Dim. (LxWxH): 120x1.5x0.6 cm Pack size: 121.2x14.5x6.5 cm; Weight: 1.15 kg

320/429 169.00







incl. remote control



Magnetic Mounting Set for LED Strip Lights

Magnet set for attaching the Dimatec LED lamp set in inflatable tents. By inserting the magnets, which were specially developed for this purpose, into the air tube of the inflatable tent, the lamp set can be attached and provides good lighting in the tent. The set consists of: 10 plates with magnet, 2 rubberised systems Ø 22 mm with cable holder, 2 discs white Ø 30 mm, 1 disc Ø 30 mm white with magnet and 2 cable ties (reusable).

Weight: 490 g 610/446

/446 91.95

								Front	wall						Side	wall
	Tent name			eranda es	an be fall	-dup				55				5		
	que pr			12 ex	ie doll	ed up to the	, door	indows	dindow fi	34	emovable vi	indows	dindow fi	ak	25	oot overhand
(ata	Tent name	Item no.	,,	Mande	an be	SWON	0900	indo,	indo.	urtains Re	SWOAR VI	indo.	indo	od (urtain ⁵ RG	0000
			7,		, 4		1	, 7		, 4	7	, 1	• 0		, 4	, k
Travel awı																
4 – 5	Stella Sonnendach	075/200			opt.					opt.						
6 – 7 8 – 9	Palermo Air Barcelona	072/390 070/080	,		1	1	1		,	,	1		1		,	
10 – 11	Meira	075/643	1		/	1	1		1	1	1	1	1		1	
12 – 13	Ceres	075/619	1		1	1	1	1	•	1	1	1	1		1	
14 – 15	Octavia Air	075/323	1		/	1	1	Ť	1	1	1	•	1	1	/	
16 – 17	Pluto 2.0	075/761	1			1	1				1		1		1	
18 – 19	Pluto XL 2.0	075/767	1		1	1	1	1		1	1	1	1		1	
20 – 21	Luxor Air	075/566	1		1	1	1		1	1	1		1	1	1	
22 – 23	Galaxy 2.0	075/772	1		/	/	1	1			/		1			
Seasonal a	awnings															
24 – 25	Lux	070/340	1		1	1	1		1	1	1		1		1	
26 – 27	Prestige	070/090	1		/	/	1	1	/	1	/	1	1		/	
All-season																
28 – 29	Finnland	075/541	1		1	1	1	1	1	1	1	1	1	1		
30 – 31	Rhön DC	070/210	1		/	1	1	1	/	/	/	1	1	opt.		
32 – 33	Grönland	075/382	1		1	1	1	1	1	1	1	1	1	√		
34 – 35	Feldberg DC	070/161	1		/	1	1	1	1	/	1	1	1		1	
36 – 37	Allgäu	075/136	1		1	1	1	/	1	1	1	1	1	1	1	1
Partial ten	•															
		075/402								,			,			
40	Quick'n Easy Air Sonnendach	075/492 075/180		1	1	,	1			1	1	1	1			
41	Quick'n Easy Air Siena	075/034		•	1	1	1			1	1	V	V		1	
43	Lynx	075/425				•	1	1			1	1	1		·	
44 – 45	Dorado XL	075/624		1		1	1	1			1	1	1			
46 – 47	Vega 2.0	075/775				1	1	1			1	1	1			
48 – 49	Friesland	075/638	1		1	1	1	1	1	1	1	1	1		1	
50	Tessin	075/030					1		1				1			
Van and n	notorhome awnings															
52	Pilote	075/381		1		1	1	1								
53	Comet VW T5/T6	075/195		1		1	1	1			1	1	1			
54	Cruiser Air	075/539		Ť			1	Ť			Ť	•	1		1	
55	Escape	072/392		1		1	1	1			1	1				
56	Travel Extra	070/001				1	1		1		1	1				1
57	Pisa	075/061				1	1	1		1	1	1			1	
58	Lakecrest	075/500	1	1		1	1		/		1		1	1	1	1
59	Oak Creek 400 500	075/815				/	1		1		/	1	1	1	1	✓
60	Hydra	075/625		1		1	1	1			/	1	1			
61	Quick'n Easy Air	075/183		1	✓		1				1	1	1			✓
62	Newburg 160 Air	075/591	✓	✓		✓	✓		1		1			✓	1	✓
63	San Marino Portofino Air	075/379				/	1	1			1	1	/			1
64	Orion 2.0	075/724		1		1	/	/			1	1	1		/	,
65	Quick'n Easy Luxus Air	075/184		1	1		1	1		,	1	1	1		1	1
66	Triton	075/732			1		1	1		1	1	1	,			
67 68	Mars Journeymaster Deluxe L	075/618 075/669		1	1		1	1		1	1	1	1			
69	Neptune 2.0	075/780			,	1	1	1			1	1	1		1	1
70	Zodiac	075/673				,					•		_		·	•
71	Aquila Pro	075/728					1				1	1	1		1	
72	•	075/141					1		1				1			1
_																

	· ·					Poles		aterial		Accessories		
×	Aprilie Parile Tent name	Item no	. /	ee'	uminium	\ &	tube	nsioning	Modelap	deexten	sion,	nertent Sun o
Travel awnings												
4 – 5	Stella Sonnendach	075/200	opt.	opt.			✓			opt.		
6 – 7	Palermo Air	072/390			1	1	1					
8 – 9	Barcelona	070/080	opt.	opt.			/	_	opt.	/		
10 – 11	Meira	075/643	/				/	/	opt.	/		
12 – 13	Ceres	075/619				1	1	1	opt.	1	opt.	
14 – 15	Octavia Air	075/323 075/761				1	1	1	opt.	1		opt.
16 – 17	Pluto 2.0	075/761				1	1	1	opt.	1	opt.	opt.
18 – 19 20 – 21	Pluto XL 2.0 Luxor Air	075/566				1	1	1	opt.	1	opt.	opt.
22 – 23	Galaxy 2.0	075/772				1	/	1	opt.	1	opt.	ont
	,	0/3///2				V	•	•	υρι.	V	υρι.	opt.
Seasonal a	awnings											
24 – 25	Lux	070/340	/				1	1		1		
26 – 27	Prestige	070/090	opt.	opt.			1	/		1		
All-season	awnings											
28 – 29	Finnland	075/541	1				1	1	opt.	1		
30 – 31	Rhön DC	070/210	1				1	1		1		
32 – 33	Grönland	075/382	1				1	1	opt.	1		
34 – 35	Feldberg DC	070/161	/				1	1		1		
36 – 37	Allgäu	075/136	1				1			1		
Partial ten	its											
40	Quick'n Easy Air Sonnendach	075/492				1	1			1		
41	Quick'n Easy Air	075/180				1	1			1		
42	Siena	075/034			1	Ť	/			1		
43	Lynx	075/425			Ť	1	1	1		1		
44 – 45	Dorado XL	075/624				1	1	1		1		
46 – 47	Vega 2.0	075/775				1	1	1	opt.	/	opt.	opt.
48 – 49	Friesland	075/638	1				1	1	opt.	1		opt.
50	Tessin	075/030	1				1			1		
Van and m	notorhome awnings											
52	Pilote	075/381					,			,		
53	Comet VW T5/T6	075/195	1		1		1			1		
54	Cruiser Air	075/539	· ·		1	1	1			1		
55	Escape	072/392	/	1	•	•	/			1		
56	Travel Extra	070/001	•	•	1		1			1	opt.	
57	Pisa	075/061	1		1		/			1	opt.	
58	Lakecrest	075/500		1			1			1		
59	Oak Creek 400 500	075/815			1		1			1		
60	Hydra	075/625		1		1	1			1		
61	Quick'n Easy Air	075/183				1	/			/		
62	Newburg 160 Air	075/591				1						
63	San Marino Portofino Air	075/379	1		1		1			1	opt.	
64	Orion 2.0	075/724				1	1			1		
65	Quick'n Easy Luxus Air	075/184				1	1			1	opt.	
66	Triton	075/732				1	1					
67	Mars	075/618				1	1		opt.	1	opt.	opt.
68	Journeymaster Deluxe L	075/669	1			1						
69	Neptune 2.0	075/780		1		1	1			1	opt.	
70	Zodiac	075/673										
71	Aquila Pro	075/728				1	1					
72	Garmisch	075/141	/				1	1		1		

✓ included in delivery opt. optionally available

						Front wall							Side wall					
ريخ	Aprilie Pringe	Item no.	78	Handa effect	pe folled	in the life	2001	andows vi	Tugon fis	htains Re	movable	indon's	indow flat	g ^t ci	Irtain ⁵	of overhand	dil	
Roof tents	S																	
75 76		075/808 075/617 075/598 075/597				1	\ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<i>J</i>		1			
Sun canor		0131391					•	V			•	•	•					
79 80 81 82 83 – 86		070/400-1 070/130 075/741 072/610 072/571			opt.					opt.								
Ŏ	alogue page Tent name	Item no.	క	leel Aluri	hinium GRR		Poles		material material	de extens		essori	es ncanopy					
Roof tents	s																	
74 75 76 77	Moonlight Tent GT Roof TRT120E Yano	075/808 075/617 075/598 075/597		<i>J J</i>		1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	opt.				opt.						
Sun canor																		
	Playa	070/400-1 070/130 075/741 072/610	\frac{1}{\sqrt{1}}	1			1 1 1		opt.	opt. ✓ ✓				ol		uded in o	-	
83 – 86	Bent Canvas	072/571																

The Global Harmonized System (GHS) for the EU | Classification and Labelling according to Regulation (EG) No. 1272/2008 (CLP-VO)

Hazard and Precautionary Statements

Source: www.baua.de

Please observe the application instructions and safety data sheets for products with hazard labels

Dangers, additional hazards and marking elements, coding and wording.

H200 Codes: Physical hazards

H226 Flammable liquid and vapour.

H300 Codes: Health hazards

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.

H373 May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if there is conclusive evidence that no other routes of exposure cause the hazard).

Supplemental labelling elements

EUH204 Contains isocyanates. May cause an allergic reaction.

GHS02	(8)	Flammable
GHS07	(! >	Health hazard
GHS08	\$	Serious health hazard



Joy, innovation and quality are the foundations of a 60-year history of growth. The extensive range offers specific products for outdoor, leisure and touring.

GENTLETENT

GentleTent is a start-up from Vienna that specialises in inflatable tent systems. With its own ideas and developments, it is the inflatable tent pioneer on the camping market.



After 120 years, there is Coleman equipment for everything – hiking, days at the lake, camping or music festivals



GÜSTO Zeltmanufaktur has been producing individual and customised quality awnings "Made in Germany" for over 85 years – each awning is unique.

brand manufacturers



Dometic is an international company with a long history of providing market-leading products for outdoor, home and professional use.



Hahn-Zelte produces classic awnings. It is particularly strong when it comes to all-season awnings. Its collection is characterised by the highest quality equipment.



TAMBU has set itself the goal of environmentally conscious camping. TAMBU is the first tent brand in Europe to produce its entire collection from recycled and environmentally friendly materials.



EUROTRAIL has been fulfilling the wishes of campers for years and offers an extensive range of camping products for every holiday!



The company's outstanding reputation and success are based on its strong sense of family and the desire to inspire families to discover and enjoy the outdoor life for themselves.



Westfield specialises in inflatable tents and camping furniture. Since the company was founded, Westfield TQC has stood for quality, innovation and comfort.



Fiamma stands for a sustainable lifestyle and contact with nature. The large Fiamma range ensures that you feel safe and secure wherever you are.





At StarCamp, a Dorema product line, you will find inflatable tents at a very good price-performance ratio. We stock exclusive models from this product line.



With over 30 years of experience and outstanding quality, WIGO produces exclusively in Germany.







Everything for Caravan I Camping I Leisure Südstraße 4 97258 Gollhofen

Telefon +49 9339 97 13 600 Telefax +49 9339 97 13 900 info@frankana.de

www.frankanafreiko.de/en







YouTube

